



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Gasmax RGT-48E 4-Burner Natural Gas Griddle

Model / SKU: RGT-48E

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://www.foodequipment.com.au/md_productpdf/index/generate/product/183/store/7/



Gasmax Four burner griddle RGT-48E

Quick Overview

- Stainless steel construction
- Natural & LPG gas
- FOUR HEAVY DUTY 29.52MJ BURNERS
- Quick heating/recovery Steel grilling surface
- Auto ignition & flame failure shut-off
- Stainless Steel drip tray
- Sturdy adjustable feet, adjustable height 45 mm
- 120.08 MJ/h total; 3/4-inch gas inlet
- Matching stand: QR-48-S
- Consumption: 112 MJ/h
- 20mm heavy duty mild steel plate

Description

Four burner Heavy Duty Griddle Top with removable plate RGT-48E;

Key Features

- Stainless steel construction
- Natural & LPG gas
- FOUR HEAVY-DUTY 29.52MJ BURNERS
- Quick heating/recovery Steel grilling surface
- Auto ignition & flame failure shut-off
- Stainless Steel drip tray
- Sturdy adjustable feet, adjustable height 45 mm
- 120.08 MJ/h total; 3/4-inch gas inlet
- Matching stand: QR-48-S
- Consumption: 112 MJ/h

- 20mm heavy-duty mild steel plate

Additional Information

- If use on a bench has to install the legs for trays
- If on a stand then has to order the stand separately

* LPG model or option kit not available in New Zealand

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Product Condition	New
Connection Type	Both (NG and LPG)
Knobs	4 knobs
Net Weight (Kg)	169
Width (mm)	1216
Depth (mm)	840
Height (mm)	420
Packing Width (mm)	950
Packing Depth (mm)	1380
Packing Height (mm)	580
Power	112 MJ/h
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice