



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Fagor BG7-10LPG 700 Series LPG Charcoal Grill – 2 Grid, Lava Rock

Model / SKU: BG7-10LPG

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: <https://www.foodequipment.com.au/amfile/file/download/file/16/product/3541/>



700 Series

Charcoals 700

GAS CHARCOAL GRILL, BG7-10 I

DIMENSIONS

		Article	Packed
Length	mm	700,00	740,00
Depth	mm	775,00	835,00
Height	mm	290,00	600,00
Weigth	Kg	65,00	86,50
Volumen	m3	0,16	0,37

ELECTRICITY

Not used			0,00
----------	--	--	------

WATER

Not used

GAS

Power	KW	16,20
	Kcal/h	13.932,00
LPG	Consumption (kg/h)	1,26
	Pressure (g/cm2)	37,00
Natural Gas	Consumption (m3/h)	1,60
	Pressure (g/cm2)	18,00

STEAM

Not used

AIR


Not used

GAS CHARCOAL GRILL, BG7-10 I
Made of stainless steel.
Burner in stainless steel with pilot.
Piezoelectric burner ignition. Safety valve and thermocouple.
Lava rocks.
Two stainless steel grids.
Grid dimensions: 340 x 500 mm.
The angle of the cooking grid can be adjusted to three positions.
Fat collector.
Power: 16.2 kW.
Dimensions: 700 x 775 x 290 mm.

Certificate EQNET- CE

99AS392

Connections points	X	Y	Z	Diameter	Information
GAS	660	485	132	R.3/4"G	Prever regulador y llave de corte individual





700 Series

Charcoals 700

GAS CHARCOAL GRILL, BG7-05 I

DIMENSIONS

		Article	Packed
Length	mm	350,00	390,00
Depth	mm	775,00	835,00
Height	mm	290,00	600,00
Weigth	Kg	40,00	48,00
Volumen	m3	0,08	0,20

ELECTRICITY

Not used			0,00
----------	--	--	------

WATER

Not used

GAS

Power	KW	8,10
	Kcal/h	6.966,00
LPG	Consumption (kg/h)	0,63
	Pressure (g/cm2)	37,00
Natural Gas	Consumption (m3/h)	0,80
	Pressure (g/cm2)	18,00

STEAM

Not used

AIR


Not used

GAS CHARCOAL GRILL, BG7-05 I
Made of stainless steel.
Burner in stainless steel with pilot.
Piezoelectric burner ignition. Safety valve and thermocouple.
Lava rocks.
Stainless steel grid. Grid dimensions: 340 x 500 mm.
The angle of the cooking grid can be adjusted to three positions.
Fat collector.
Power: 8.1kW.
Dimensions: 350 x 775 x 290 mm.

Certificate EQNET- CE

99AS392

Connections points	X	Y	Z	Diameter	Information
GAS	310	485	132	R.3/4"G	Prever regulador y llave de corte individual





700 Series

Charcoals 700

GAS CHARCOAL GRILL, BG7-05

DIMENSIONS

		Article	Packed
Length	mm	350,00	390,00
Depth	mm	775,00	835,00
Height	mm	290,00	600,00
Weigth	Kg	40,00	48,00
Volumen	m3	0,08	0,20

ELECTRICITY

Not used			0,00
----------	--	--	------

WATER

Not used

GAS

Power	KW	8,10
	Kcal/h	6.966,00
LPG	Consumption (kg/h)	0,63
	Pressure (g/cm2)	37,00
Natural Gas	Consumption (m3/h)	0,80
	Pressure (g/cm2)	18,00

STEAM

Not used

AIR


Not used

GAS CHARCOAL GRILL, BG7-05
Made of stainless steel.
Burner in stainless steel with pilot.
Piezoelectric burner ignition. Safety valve and thermocouple.
Lava rocks.
Cast iron grid. Grid dimensions: 340 x 500 mm.
The angle of the cooking grid can be adjusted to three positions.
Fat collector.
Power: 8.1 kW.
Dimensions: 350 x 775 x 290 mm.

Certificate EQNET- CE

99AS392

Connections points	X	Y	Z	Diameter	Information
GAS	310	485	132	R.3/4"G	Prever regulador y llave de corte individual





700 Series

Charcoals 700

GAS CHARCOAL GRILL, BG7-10

DIMENSIONS

		Article	Packed
Length	mm	700,00	740,00
Depth	mm	775,00	835,00
Height	mm	290,00	600,00
Weigth	Kg	65,00	86,50
Volumen	m3	0,16	0,37

ELECTRICITY

Not used			0,00
----------	--	--	------

WATER

Not used

GAS

Power	KW	16,20
	Kcal/h	13.932,00
LPG	Consumption (kg/h)	1,26
	Pressure (g/cm2)	37,00
Natural Gas	Consumption (m3/h)	1,60
	Pressure (g/cm2)	18,00

STEAM

Not used

AIR

Not used

GAS CHARCOAL GRILL, BG7-10
Made of stainless steel.
Burner in stainless steel with pilot.
Piezoelectric burner ignition. Safety valve and thermocouple.
Lava rocks.
One cast iron grid and one stainless steel grid.
Grid dimensions: 340 x 500 mm.
The angle of the cooking grid can be adjusted to three positions.
Fat collector.
Power: 16.2 kW.
Dimensions: 700 x 775 x 290 mm.

Certificate EQNET- CE

99AS392

Connections points	X	Y	Z	Diameter	Information
GAS	660	485	132	R.3/4"G	Prever regulador y llave de corte individual

