



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Bromic 3735302-NR CF0300ATCG-NR 264L Curved Glass Chest Freezer

Model / SKU: 3735302-NR

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: /media/products/17667/documents/spec_sheet-1.pdf

Display Chest Freezer 264L - Curved Glass Top

| Chest Freezers

4 PVC-coated
baskets keep
items neatly
arranged

Integrated lock
system ensures
merchandise
is secure when
unattended

Quick-drain plug
simplifies defrosting
and cleaning

Sliding glass lids open left
and right allowing for effortless
access to merchandise

Tempered glass lids stays
cool during operation and
provide a clear view

High load limit
maximises
storage

Decal-friendly
design for
customisable
branding (POA)

Corrosion-resistant
construction
for longevity
in commercial
environments

High energy
efficiency with
7-star energy rating
thanks to natural
refrigerant

Castors for easy
movement and placement

Digital display for
easy temperature
monitoring


5 Years Bromic Extra Care
Warranty - Parts and Labour

Fully compliant with Australian
safety standards and regulations



Display Chest Freezer
264L - Curved Glass Top

| Chest Freezers



SPECIFICATIONS					DIMENSIONS	
Model Number	CF0300ATCG-NR	Plug Plug	1 x 10A		External (mm)	
Part Number	3735302-NR	Plug Location	Rear, bottom right		Width	1010
Volume	264L	Cord Length	2m		Depth	615
Unit Weight	70kg	Colour	White		Height	949
Packaged Weight	75kg	Internal Light	No		Internal (mm)	
Adjustable Temp. Range	-22°C to -12°C	No. of Lids	2		Width	890
Max. Ambient Temp.	35°C	Lid Type	Glass		Depth	495
Climate Class	4L1	Lid Shape	Curved		Height	708
Energy Consumption	2.236kWh/24h	Lid Style	Sliding		Packaged (mm)	
GEMS Star Rating	7 Stars	Lid Lock	Yes		Width	1040
Refrigeration Capacity	220W	No. of Baskets	4		Depth	680
Refrigerant	R290	Basket Dimensions	206(w) x 434(d) x 195(h) mm		Height	980
Air Circulation	Static	Defrost System	Manual			
Rated Current	0.96A	Temp. Controller	Analogue controller, digital display			
Electrical Voltage	220-240V	Castors	Yes			
Frequency	50Hz	Warranty	5 Years Bromic Extra Care Warranty			
Power Supply	Single Phase		- Parts and Labour			