



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Bromic 3735301-NR CF0200ATCG-NR 176L Curved Glass Top Display Chest Freezer

Model / SKU: 3735301-NR

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: /media/products/17680/documents/spec_sheet-1.pdf

Display Chest Freezer 176L - Curved Glass Top

| Chest Freezers

2 PVC-coated
baskets keep
items neatly
arranged

Integrated lock
system ensures
merchandise
is secure when
unattended

Sliding glass lids open left
and right allowing for effortless
access to merchandise

Tempered glass lids stays
cool during operation and
provide a clear view

High load limit
maximises
storage

Decal-friendly
design for
customisable
branding (POA)

Corrosion-resistant
construction
for longevity
in commercial
environments

High energy efficiency with
8-star energy rating thanks
to natural refrigerant

Quick-drain plug
simplifies defrosting
and cleaning

Castors for easy
movement and placement

Digital display for
easy temperature
monitoring


5 Years Bromic Extra Care
Warranty - Parts and Labour

Fully compliant with Australian
safety standards and regulations



Display Chest Freezer
176L - Curved Glass Top

Chest Freezers



SPECIFICATIONS				DIMENSIONS	
Model Number	CF0200ATCG-NR	Plug Plug	1 x 10A	External (mm)	
Part Number	3735301-NR	Plug Location	Rear, bottom right	Width	719
Volume	176L	Cord Length	2m	Depth	615
Unit Weight	57kg	Colour	White	Height	949
Packaged Weight	62kg	Internal Light	No	Internal (mm)	
Adjustable Temp. Range	-22°C to -12°C	No. of Lids	2	Width	600
Max. Ambient Temp.	35°C	Lid Type	Glass	Depth	495
Climate Class	4L1	Lid Shape	Curved	Height	708
Energy Consumption	1.298kWh/24h	Lid Style	Sliding	Packaged (mm)	
GEMS Star Rating	8 Stars	Lid Lock	Yes	Width	740
Refrigeration Capacity	190W	No. of Baskets	2	Depth	680
Refrigerant	R600a	Basket Dimensions	206(w) x 434(d) x 195(h) mm	Height	980
Air Circulation	Static	Defrost System	Manual		
Rated Current	0.5A	Temp. Controller	Analogue controller, digital display		
Electrical Voltage	220-240V	Castors	Yes		
Frequency	50Hz	Warranty	5 Years Bromic Extra Care Warranty - Parts and Labour		
Power Supply	Single Phase				