



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Bromic 3735213-NR UBC1360GD-NR Glass Door Underbench Fridge – 1360mm (Beverage)

Model / SKU: 3735213-NR

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: /media/products/17821/documents/spec_sheet-1.pdf

Underbench Display Fridge 282L - 2 Door - Glass

| Bar Fridge & Freezers

Food grade stainless steel
bench top may serve as
additional workspace

Save floor space
with seamless under
bench installation

Bright LED lighting
makes it easy to
locate items inside

Suitable for storage of
perishable drinks with
3M1 climate class

Additional shelf
extenders and
narrow wired shelf
design to keep items
securely in place

2 adjustable shelves
per door plus base
for maximum storage

Natural refrigerant
for improved
energy efficiency

Digital controller for
easy temperature control

Durable stainless
steel construction
for commercial use

Castors to move and
position the unit with ease

5 Years Bromic
Extra Care Warranty -
Labour and Parts


Fully compliant with
Australian safety
standards and
regulations

Double-glazed safety
glass door prevents
condensation



Underbench Display Fridge
282L - 2 Door - Glass

| Bar Fridge & Freezers



SPECIFICATIONS				DIMENSIONS	
Model Number	UBC1360GD-NR	Cord Length	2.5m	External (mm)	
Part Number	3735213-NR	Colour	Stainless Steel	Width	1360
Volume	282L	Internal Light	LED	Depth	730
Unit Weight	122kg	No. of Doors	2	Height	850
Packaged Weight	127kg	Door Type	Glass	Internal (mm)	
Adjustable Temp. Range	+1°C to +5°C	Door Glass Type	Double glazed	Width	902
Max. Ambient Temp.	32°C	Door Style	Hinged	Depth	530
Climate Class	3M1	Door Lock	No	Height	589
Energy Consumption	3.64kWh/24h	Self-Closing Door	Yes	Packaged (mm)	
GEMS Star Rating	3 stars	Door Swing Dimension	371mm	Width	1390
Refrigeration Capacity	245W	Total Depth of Door Open	1071mm	Depth	730
Refrigerant	R600a	No. of Shelf Tiers inc base	3	Height	910
Rated Current	3.64A	Shelf Type	Adjustable		
Electrical Voltage	220-240V	Shelves Dimensions	330(w) x 530(d) mm		
Frequency	50Hz	Temp. Controller	Digital		
Power Supply	Single Phase	Castors	Yes		
Power Plug	1 x 10A	Warranty	5 Years Bromic Extra Care Warranty – Labour and Parts		
Plug Location	Rear, bottom right				