



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Bromic 3736255 UBC0140GD-NR Underbench Display Fridge – 138L, 1 Glass Door

Model / SKU: 3736255

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: /media/products/17834/documents/spec_sheet-1.pdf

Underbench Display Fridge 138L - 1 Door - Glass

| Bar Fridge & Freezers

Suitable for storage of perishable drinks with 3M1 climate class

Save floor space with seamless under bench installation

Narrow wired shelf design to keep items securely in place

3 adjustable shelves plus base for maximum storage

Double-glazed safety glass door prevents condensation

5 Years Bromic Extra Care Warranty - Labour and Parts

Fully compliant with Australian safety standards and regulations

Digital controller for easy temperature control

Integrated door lock to keep stock safe and secure

Natural refrigerant for improved energy efficiency

Durable stainless steel construction for commercial use


Bright LED lighting makes it easy to locate items inside

Adjustable 30mm feet for installation on unlevel surfaces



Underbench Display Fridge
138L - 1 Door - Glass

| Bar Fridge & Freezers



SPECIFICATIONS				DIMENSIONS	
Model Number	UBC0140GD-NR	Colour	Stainless Steel	External (mm)	
Part Number	3736255	Internal Light	LED	Width	598
Volume	138L	No. of Doors	1	Depth	643
Unit Weight	45kg	Door Type	Glass	Height	824
Packaged Weight	46kg	Door Glass Type	Double glazed	Internal (mm)	
Adjustable Temp. Range	+1 to +10°C	Door Style	Hinged	Width	490
Max. Ambient Temp.	32°C	Door Lock	Yes	Depth	400
Climate Class	3M1	Self-Closing Door	Yes	Height	680
Energy Consumption	1.396kWh/24h	Door Swing Dimension	594mm	Packaged (mm)	
GEMS Star Rating	6 stars	Total Depth of Door Open	1153mm	Width	650
Refrigeration Capacity	100W	No. of Shelf Tiers inc base	4	Depth	650
Refrigerant	R600a	Shelf Type	Adjustable	Height	885
Rated Current	1.2A	Shelves Dimensions	510(w) x 360(d) mm		
Electrical Voltage	220-240V	Temp. Controller	Digital		
Frequency	50Hz	Castors	No, Feet + Rollers		
Power Supply	Single Phase	Warranty	5 Years Bromic Extra Care Warranty – Labour and Parts		
Power Plug	1 x 10A				
Plug Location	Rear, bottom				