



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Bromic 3735209-NR UBC2230SD-NR Solid Door Underbench Fridge – 2230mm (553L Storage)

Model / SKU: 3735209-NR

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: /media/products/17843/documents/spec_sheet-3.pdf

Under Bench Fridge 553L - 4 Doors - Stainless Steel

| Bar Fridges & Freezers

Save floor space with seamless under bench installation

Food grade stainless steel bench top may serve as additional workspace

Powerful fan-forced refrigeration cools cabinet evenly and quickly

Digital controller and display for precise temperature control



Natural refrigerant for improved energy efficiency

5 Years Bromic Extra Care Warranty - Labour and Parts

Fully compliant with Australian safety standards and regulations


Narrow wired shelf design and shelf extenders to keep items securely in place

Solid stainless steel exterior and 4 self-closing doors to minimise heat transfer and energy consumption

Castors to move and position the unit with ease

Under Bench Fridge
553L - 4 Doors - Stainless Steel

Bar Fridges & Freezers



SPECIFICATIONS				DIMENSIONS	
Model Number	UBC2230SD-NR	Cord Length	2.5m	External (mm)	
Part Number	3735209-NR	Colour	Stainless Steel	Width	2230
Volume	553L	Internal Light	No	Depth	700
Unit Weight	173kg	No. of Doors	4	Height	850
Packaged Weight	178kg	Door Type	Solid	Internal (mm)	
Adjustable Temp. Range	+1°C to +5°C	Door Style	Hinged	Width	1772
Max. Ambient Temp.	38°C	Door Lock	No	Depth	530
Climate Class	4M1	Self-Closing Door	Yes	Height	589
Energy Consumption	3.768kWh/24h	Door Swing Dimension	371mm	Packaged (mm)	
GEMS Star Rating	4 stars	Total Depth of Door Open	1071mm	Width	2260
Refrigeration Capacity	345W	No. of Shelf Tiers inc base	3	Depth	740
Refrigerant	R290	Shelf Type	Adjustable	Height	910
Rated Current	2.7A	Shelves Dimensions	333(w) x 530(d) mm		
Electrical Voltage	220-240V	Temp. Controller	Digital		
Frequency	50Hz	Castors	Yes		
Power Supply	Single Phase	Warranty	5 Years Bromic Extra Care Warranty – Labour and Parts		
Power Plug	1 x 10A				
Plug Location	Bottom Right				