



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Bromic 3736254 UBC0140SD-NR Under Bench Fridge – 138L, Stainless Steel, 1 Door

Model / SKU: 3736254


KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: /media/products/17870/documents/spec_sheet-3.pdf

Under Bench Fridge 138L - 1 Door - Stainless Steel

| Bar Fridges & Freezers

Save floor space with seamless under bench installation

Integrated door lock to ensure stock security

Suitable for storage of perishable drinks with 3M1 climate class

3 adjustable shelves plus base for maximum storage

Energy-efficient with 8-star GEMS rating and natural refrigerant

Solid stainless steel exterior and a self-closing door to minimise heat transfer and energy consumption

Narrow wired shelf design and shelf extenders to keep items securely in place

5 Years Bromic Extra Care Warranty - Labour and Parts

Powerful fan-forced refrigeration cools cabinet evenly and quickly


Fully compliant with Australian safety standards and regulations

Adjustable 30mm feet for installation on unlevel surfaces



Under Bench Fridge
138L - 1 Door - Stainless Steel

| Bar Fridges & Freezers



SPECIFICATIONS				DIMENSIONS	
Model Number	UBC0140SD-NR	Colour	Stainless Steel		
Part Number	3736254	Internal Light	No	External (mm)	
Volume	138L	No. of Doors	1	Width	598
Unit Weight	36kg	Door Type	Solid	Depth	643
Packaged Weight	43kg	Door Glass Type	Double glazed	Height	824
Adjustable Temp. Range	+1 to +10°C	Door Style	Hinged		
Max. Ambient Temp.	32°C	Door Lock	Yes	Internal (mm)	
Climate Class	3M1	Self-Closing Door	Yes		
Energy Consumption	0.98kWh/24h	Door Swing Dimension	594mm	Width	490
GEMS Star Rating	8 stars	Total Depth of Door Open	1156mm	Depth	400
Refrigeration Capacity	100W	No. of Shelf Tiers inc base	4	Height	680
Refrigerant	R600a	Shelf Type	Adjustable		
Rated Current	1.2A	Shelves Dimensions	510(w) x 360(d) mm	Packaged (mm)	
Electrical Voltage	220-240V	Temp. Controller	Digital		
Frequency	50Hz	Castors	No, Feet + Rollers	Width	650
Power Supply	Single Phase	Warranty	5 Years Bromic Extra Care Warranty – Labour and Parts	Depth	650
Power Plug	1 x 10A			Height	885
Plug Location	Rear, bottom				