



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Bromic 3935183 IM0160HDM Modular Ice Machine Head – Half Dice 160kg/24h

Model / SKU: 3935183

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: /media/products/18550/documents/spec_sheet-1.pdf

Modular Ice Machine (Head Only) Half Dice - 160kg/24h

| Ice Machines

Stainless steel
construction for
corrosion resistance
and easy cleaning

Efficient cooling
reduces ventilation
clearance requirements
for easier installation

Electric PCB
controller for easy
settings adjustment
and monitoring

Fully compliant
with Australian
safety standards
and regulations

Economical half-dice
ice suits blending and
general purpose use

Head Only, Suitable
storage bin: SB129,
SB178, SB243.
Sold separately.



5 Years Bromic Extra Care
Warranty - Parts and Labour

Agion[®]-treated materials
prevent bacteria growth
for maximum hygiene



Modular Ice Machine (Head Only)
Half Dice - 160kg/24h


| Ice Machines



Ice Dimensions



Dice Ice



SPECIFICATIONS

Model	IM0160HDM
Part Number	3935183
Unit Weight	55kg
Packaged Weight	60kg
Ambient Temperature	40°C
Energy Consumption	15.9kWh/24h
Refrigeration Capacity	950W
Refrigerant	R404a
Electrical Voltage	220-240V
Frequency	50Hz

Production is based on kg/24hr at 10°C air & 10°C water

Power Supply	Single Phase
Plug Supplied	1 x 10A
Plug Location	Rear, bottom right
Water Consumption	7.6L/h
Maximum Daily Production	160kg/24h
Ice Type	Half Dice
Ice Weight	10g
Storage Bin Compatibility	SB129, SB178, SB243
Warranty	5 Years Bromic Extra Care Warranty - Parts and Labour

DIMENSIONS

	External (mm)
Width	558
Depth	610
Height	609
	Packaged (mm)
Width	620
Depth	680
Height	800