



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Thermaster LG-1000BP Beverage Fridge – 2 Glass Doors, Black

Model / SKU: LG-1000BP


KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.


Official supplier source: <https://www.foodequipment.com.au/amfile/file/download/file/4422/product/6506/>

Glass Door Upright Fridges

LG-1000P / LG-1000BP / LG-1000SDBP
LG-1200P / LG-1200BP



- LED Light Box
- Tempered glass door
- Side LED light
- 5 layers easily adjustable shelves
- Self-closing glass doors with locks
- Digital temp control & read-out



KEY FEATURES



ENERGY EFFICIENT SYSTEM

Uses natural, eco-friendly R290 refrigerant with CFC-free insulation to reduce power use and costs.



DESIGNED FOR BUSY VENUES

Self-closing doors, castors, and multiple shelving levels make the unit practical for everyday commercial use.



HIGH VISIBILITY DISPLAY

Large glass doors and LED lighting create an attractive beverage display for retail environments.



RELIABLE COMMERCIAL COOLING

Fan-forced evaporator cooling ensures consistent temperatures throughout the cabinet.












ENERGY RATING
THE MORE STARS
THE MORE SAVINGS





LG-P SERIES

Glass Door
Upright Fridges



LG-1000P
LG-1000BP

LG-1000SDBP

LG-1200P
LG-1200BP

Code	GEMS Star Rating	Gross Capacity (L)	Net Capacity (L)	Dimensions (WxDxH mm)	Weight (kg)	Temp. Range °C	Ambient/ RH%	Voltage	Power (W/A)
LG-1000P (White)	8	885	825	1110x690x2079	123	+2 to +8	38°C/65%	240	470/10
LG-1000BP (Black)	8	885	825	1110x690x2079	123	+2 to +8	38°C/65%	240	470/10
LG-1000SDBP (Sliding door, Black)	8	862	803	1110x690x2079	126	+2 to +8	38°C/65%	240	470/10
LG-1200P (White)	8	1075	1000	1330x690x2079	132	+2 to +8	38°C/65%	240	480/10
LG-1200BP (Black)	8	1075	1000	1330x690x2079	132	+2 to +8	38°C/65%	240	480/10

To ensure we continuously offer the best possible products, we reserve the right to modify specifications without any obligation for equipment previously or subsequently sold

