



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Turbo Air Glass Door Merchandiser Freezer 1382mm FRS-1250F

Model / SKU: FRS-1250F

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: /media/products/27100/documents/turbo-air-frs-1250f-spec-sheet-01-d1d479e15f35__kw.pdf

FEATURES & BENEFITS

■ **Digital temperature control system**

Provides precise and constant temperature. This level of precision allows food products to remain fresh over an extended period of time.

■ **High-tech monitor**

The unit will beep if the door has been opened for more than 30 seconds. The monitor digitally displays the present temperature and current status of the freezer. You can easily change the temperature by adjusting the thermostat.

■ **LED lighting interior display system**

Brighter and longer lasting LED lights provide attractive, enhanced illumination compared to fluorescents. It saves energy by producing less heat, while maximizing the visibility in the display area.

■ **LED advertising panel**

LED lighting offers 5 times longer lasting life than fluorescents and conserves energy as well.

■ **Efficient refrigeration system**

Turbo Air's freezers are designed with oversized and balanced (CFC Free R-404A) refrigeration systems. These include efficient evaporators and condensers for faster freezing and greater efficiency.

■ **Double pane glass door with Low-E glass**

Energy saving double pane glass door is equipped with Low-emissivity glass, which reduce outer heat gain and decrease energy consumption. It enhances energy efficiency and minimizes condensation. Lightweight door construction also reduce door maintenance and bushing wear, which in turn facilitates smoother door openings.

■ **Automatic evaporator fan motor delays**

When the door is opened the evaporator fan will stop, preventing the circulation of hot and moist air from escaping into the refrigerator. This increases energy efficiency and lengthens the life of the compressor.

■ **Adjustable, heavy duty, PE (polyethylene) coated wire shelves**

■ **High-density polyurethane insulation**

The entire cabinet structure is foamed-in-place using high density, CFC free polyurethane insulation.

■ **Ergonomically designed doors**

Customers' fatigue fades away with easy grip handles and doors that open effortlessly. These features along with self-closing doors make this the ultimate choice in customer convenience.

Model : FRS-1250F



**Freezer holds -27°C ~ -15°C for
the best in frozen food
preservation**

Swing Door Freezers

Glass Door Merchandisers
Freezers

Model : FRS-1250F

Model	FRS-1250F
Refrigerant	R-404A
COMP (HP)	740g
POWER INPUT(W)	4/3HP
Energy	
AMPS(A)	6.37
Capacity	1220
Product Dimension	1382
Product Dimension	756
Product Dimension	2064
Weight	270
Stainless steel	EGI (WHITE)
Features	DIGITAL
Max GN Pan depth	
GN Pan	
Door lock	X
Adjustable Shelves	8
LED light	yes
Temperature range	-27~-15°C
Ambient	
Drainage /	N/A
Temperature	Digital control
Cooling type	FAN COOLING
Glass Type (Low-e / Heater / How many layer of the glass)	Double Pane Glass Door with Low-E glass




Design and specifications subject to change without notice.
Actual Shipping weight may differ due to extra packing materials for product protection.

WARRANTY **3 YEARS**
PARTS & LABOUR



PLAN VIEW

unit : inch (mm)



SIDE VIEW

AUSTRALIA BRANCH

TURBO AIR PTY LTD
www.turboairinc.com.au
 1st Floor, Building E
 10 Highgate St, Auburn
 NSW 2144 Australia
 T. 02 9737 9881

Turbo air