



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Thermaster LG-580BP Double Glass Door Upright Drink Fridge

Model / SKU: LG-580BP

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://s3.amazonaws.com/zcom-media/sites/a0i0L00000VH4TSQA1/media/mediamanager/Thermaster_LG-580BP_Spec_Sheet.p



Thermaster Double Glass Door Colourbond Upright Drink Fridge LG-580BP

Quick Overview

- Double glazing tempered glass
- Universal wheels, front with brake
- Forced air circulation
- Adjustable shelves
- Interior LED lights
- Self-closing doors
- Refrigerant: R290 Natural Refrigerant
- GEMS Star Rating: 6
- Capacity: 568L
- Temperature Range: 2Â° C to 8Â° C
- Ambient Temperature: 38Â°C / 50% RH

Description

Thermaster Double Glass Door Colourbond Upright Drink Fridge LG-580BP

Highlight your bestselling beverages with our Thermaster Beverage Display! Made up of LED lighting for advertising—they're sure to display your products well and showcase them to your buyers sleek, clean, and fresh.

Coming in an eye-catching and fashionable design, this beverage display fridge is built with LED lighting, high cooling efficiency, low energy consumption, heavy-duty castors, two-layered tempered glass with an illuminated canopy, and white powder-coated steel plates.

This visually striking and robust fridge is one to watch out for when you purchase your next fridge unit!

Key Features

- Double glazing tempered glass
- Universal wheels, front with brake
- Forced air circulation
- Adjustable shelves
- Interior LED lights
- Self-closing doors
- Refrigerant: R290 Natural Refrigerant
- GEMS Star Rating: 6
- Capacity: 568L
- Temperature Range: 2 ° C to 8 ° C
- Ambient Temperature: 38°C / 50% RH

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Net Weight (Kg)	96
Width (mm)	880
Depth (mm)	610
Height (mm)	1973
Packing Width (mm)	610
Packing Depth (mm)	880
Packing Height (mm)	1973
Power	240V; 349W; 10A
Warranty	2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration