



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Bromic 3736257 MED0140GD-NR Vaccine Fridge – 145L, Pharmacy Guild Approved

Model / SKU: 3736257

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: /media/products/44558/documents/spec_sheet-1.pdf

MediFridge Vaccine Fridge 145L

| Medical Refrigeration



Digital temperature controller for easy temperature adjustment

Audible alarm system prevents accidental exposure to warm temperatures

Fan forced to keep even temperature cooling throughout the unit

Integrated lock for preventing unauthorised access to vaccines

Natural Refrigerant for improved energy efficiency and sustainable cooling

Internal LED light to easily locate items in any lighting conditions

3 adjustable shelves for easy positioning and organisation of your items

BMS dry contact point for easy integration with monitoring system

Double-glazed door with self-closing mechanism minimises heat transfer


Pharmacy Guild-approved

Min/Max temperature recording to track temperature fluctuations

5 Years Bromic Extra Care Warranty - Parts and Labour

**MediFridge Vaccine Fridge
145L**

Medical Refrigeration



SPECIFICATIONS				DIMENSIONS	
Model Number	MED0140GD-NR	No. of Doors	1	External (mm)	
Part Number	3736257	Door Type	Glass	Width	595
Volume	145L	Door Glass Type	Double glazed Low-E Glass + Argon Gas	Depth	643
Unit Weight	40kg	Door Shape	Flat	Height	824
Packaged Weight	45kg	Door Style	Hinged	Internal (mm)	
Temperature Range	+2°C to 8°C	Door Lock	Yes	Width	491
Max Ambient Temperature	32°C	Self-Closing Door	Yes	Depth	510
Climate Class	4M2	Door Swing Dimensions	590mm	Height	687
Energy Consumption	1.396kWh/24h	Total Depth of Door Open	1190mm	Packaged (mm)	
Refrigeration Capacity	100W	No. of Shelves Incl. Base	4	Width	650
Air-Circulation	Fan-Forced	Shelf Type	Adjustable	Depth	650
Refrigerant	R600a	Shelf Dimensions	500(w) x 355(d) mm	Height	885
Rated Current	1.2A	Defrost System	Automatic		
Electrical Voltage	220-240V	Temp. Controller	Digital		
Frequency	50Hz	Castors	No, feet + rollers		
Power Supply	Single Phase	Min/Max Temp Recorder	Yes		
Power Plug	1 x 10A	Temp Alarm	Yes		
Plug Location	Rear, bottom right	Door Alarm	Yes		
Colour	White	Audible & Visual Alarm	Yes		
Internal Light	LED	Warranty	5 Years Bromic Extra Care Warranty - Parts and Labour		