



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Bromic 3736217-NR MED0220GD-NR Medifridge Vaccine Chiller – 220L Glass Door

Model / SKU: 3736217-NR

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: /media/products/44559/documents/spec_sheet-1.pdf

MediFridge Vaccine Fridge 215L

| Medical Refrigeration

Complies to

QCPP
Standards

Digital temperature
controller for easy
temperature adjustment

Audible alarm system
prevents accidental exposure
to warm temperatures

Fan forced to keep even
temperature cooling
throughout the unit

Natural Refrigerant
for improved energy
efficiency and
sustainable cooling

BMS dry contact
point for easy
integration with
monitoring system

Pharmacy Guild-approved

5 Years Bromic Extra Care
Warranty - Parts and Labour

Integrated lock for preventing
unauthorised access to vaccines

Internal LED
light to easily
locate items in any
lighting conditions

3 adjustable shelves for
easy positioning and
organisation of your items


Double-glazed door
with self-closing
mechanism minimises
heat transfer

Min/Max temperature
recording to track
temperature fluctuations



MediFridge Vaccine Fridge
215L

Medical Refirgeration



SPECIFICATIONS			DIMENSIONS		
Model Number	MED0220GD-NR	Door Type	Glass	External (mm)	
Part Number	3736217-NR	Door Glass Type	Double glazed Low-E Glass + Argon Gas	Width	595
Volume	215L	Door Shape	Flat	Depth	598
Unit Weight	65kg	Door Style	Hinged	Height	1310
Packaged Weight	70kg	Door Lock	Yes	Internal (mm)	
Temperature Range	+2°C to 8°C	Self-Closing Door	Yes	Width	505
Max Ambient Temperature	32°C	Door Swing Dimensions	590mm	Depth	462
Climate Class	4M2	Total Depth of Door Open	1190mm	Height	1025
Energy Consumption	1.9kWh/24h	No. of Shelves Incl. Base	4	Packaged (mm)	
Refrigeration Capacity	235W	Shelf Type	Adjustable	Width	665
Air-Circulation	Fan-Forced	Shelf Dimensions	500(w) x 400(d) mm	Depth	685
Refrigeration Capacity	R600a	Defrost System	Automatic	Height	1480
Rated Current	1.18A	Temp. Controller	Digital	Warranty	
Electrical Voltage	220-240V	Castors	No, feet + rollers	5 Years Bromic Extra Care Warranty	
Frequency	50Hz	Min/Max Temp Recorder	Yes	- Labour and Parts	
Power Supply	Single Phase	Temp Alarm	Yes		
Power Plug	1 x 10A	Door Alarm	Yes		
Plug Location	Rear, bottom right	Audible & Visual Alarm	Yes		
Colour	White				
Internal Light	LED				
No. of Doors	1				