



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Bromic 3335643-NR SVM1580HD-NR Semi-Vertical Display Fridge – 559L | Glass Doors

Model / SKU: 3335643-NR

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: /media/products/44566/documents/spec_sheet-1.pdf

Semi Vertical Display Fridge Gondola - 1580mm - 2 Doors - Hinged

| Multideck Display Fridges

3M1 food safe for safe
storage of perishable goods

High-impact LED lights
to create a perfect
product presentation

Simple plug-and-
play installation
for convenience

Clear sides
for enhanced
product visibility

Low height for
greater store
visibility and
accessibility

R290 natural
refrigerant for
sustainable cooling

Adjustable shelves
with three angles
for versatility and
flexibility

Bumper rail to
protect against
accidental damage

High energy
efficiency with 9-star
GEMS rating reduces
running costs


Castors for easy
placement and movement

Precise digital
controller for easy
temperature management



Semi Vertical Display Fridge
Gondola - 1580mm - 2 Doors - Hinged

Multideck Display Fridges



SPECIFICATIONS				DIMENSIONS	
Model Number	SVM1580HD-NR	Plug Location	Rear	External (mm)	
Part Number	3335643-NR	Cord Length	2m	Width	1580
Volume	559L	Colour	Black	Depth	816
Unit Weight	220kg	Internal Light	LED	Height	1586
Packaged Weight	245kg	Colour Temperature	4000K	Internal (mm)	
Total Display Area	2.20m²	No. of Doors	2	Width	1496
Adjustable Temp. Range	-1°C to +10°C	Door Type	Glass	Depth	400
Max. Ambient Temp.	25°C	Door Style	Hinged	Height	1050
Climate Class	3M1	Door Lock	No	Packaged (mm)	
Energy Consumption	4.1kWh/24h	Self-Closing Door	Yes	Width	1650
GEMS Star Rating	9 stars	Door Swing Dimensions	691mm	Depth	865
Refrigeration Capacity	340W	Total Depth of Door Open	1480mm	Height	1950
Refrigerant	R290	No of Shelf Tiers inc Base	4		
Air Circulation	Fan Forced	Shelf Type	Adjustable		
Rated Current	1.48A	Shelves Dimensions	250(d), 300(d), 350(d) mm		
Electrical Voltage	220-240V	Temp. Controller	Digital		
Frequency	50Hz	Air Curtain	Yes		
Power Supply	Single Phase	Castors	Yes		
Plug Supplied	1 X 10A	Warranty	5 Years Bromic Extra Care Warranty – Labour and Parts		