



## PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

### PRODUCT

**Bromic 3335646-NR SVM1875SD-NR Semi Vertical Multideck – 664L, Sliding Doors**

**Model / SKU: 3335646-NR**


#### KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email [sales@kwcommercial.com.au](mailto:sales@kwcommercial.com.au)

Web [www.kwcommercial.com.au](http://www.kwcommercial.com.au)



Scan for the current KW product page

### DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: [/media/products/44569/documents/spec\\_sheet-3.pdf](/media/products/44569/documents/spec_sheet-3.pdf)


## Semi Vertical Display Fridge 1875mm - 2 Doors - Sliding

| Multideck Display Fridges



Semi Vertical Display Fridge  
1875mm - 2 Doors - Sliding

Multideck Display Fridges



| SPECIFICATIONS         |               |                            |                                                       | DIMENSIONS    |       |        |
|------------------------|---------------|----------------------------|-------------------------------------------------------|---------------|-------|--------|
| Model Number           | SVM1875SD-NR  | Plug Location              | Rear                                                  | External (mm) |       |        |
| Part Number            | 3335646-NR    | Cord Length                | 2m                                                    | Width         | 1959  |        |
| Volume                 | 664L          | Colour                     | Black                                                 |               | Depth | 775    |
| Unit Weight            | 240kg         | Internal Light             | LED                                                   |               |       | Height |
| Packaged Weight        | 265kg         | Colour Temperature         | 4000K                                                 | Internal (mm) |       |        |
| Total Display Area     | 2.69m²        | No. of Doors               | 2                                                     | Width         | 1875  |        |
| Adjustable Temp. Range | -1°C to +10°C | Door Type                  | Glass                                                 |               | Depth | 400    |
| Max. Ambient Temp.     | 25°C          | Door Style                 | Sliding                                               |               |       | Height |
| Climate Class          | 3M1           | Door Lock                  | No                                                    | Packaged (mm) |       |        |
| Energy Consumption     | 4.6kWh/24h    | Self-Closing Door          | No                                                    | Width         | 2000  |        |
| GEMS Star Rating       | 9 stars       | No of Shelf Tiers inc Base | 4                                                     |               | Depth | 830    |
| Refrigeration Capacity | 829W          | Shelf Type                 | Adjustable                                            |               |       | Height |
| Refrigerant            | R290          | Shelves Dimensions         | 250(d), 300(d), 350(d) mm                             | Warranty      |       |        |
| Air Circulation        | Fan Forced    | Temp. Controller           | Digital                                               | Width         | 2000  |        |
| Rated Current          | 3.60A         | Air Curtain                | Yes                                                   |               | Depth | 830    |
| Electrical Voltage     | 220-240V      | Castors                    | Yes                                                   |               |       | Height |
| Frequency              | 50Hz          | Warranty                   | 5 Years Bromic Extra Care Warranty – Labour and Parts |               |       |        |
| Power Supply           | Single Phase  |                            |                                                       |               |       |        |
| Plug Supplied          | 1 X 10A       |                            |                                                       |               |       |        |