



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Bromic 3335655-NR FHM1875HD-NR Multideck Fridge – 1222L, 4 Doors

Model / SKU: 3335655-NR

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: /media/products/44578/documents/spec_sheet-1.pdf

FHM1875HD-NR

BROMIC
REFRIGERATION

Full Height Multideck Fridge 1875mm - 4 Doors - Hinged

| Multideck Display Fridges




*The image is meant solely for illustrative purposes and may not provide an accurate representation of the unit.

bromicrefrigeration.com.au

Full Height Multideck Fridge
1875mm - 4 Doors - Hinged

Multideck Display Fridges



SPECIFICATIONS				DIMENSIONS	
Model Number	FHM1875HD-NR	Plug Location	Rear, bottom left	External (mm)	
Part Number	3335655-NR	Cord Length	2m	Width	1955
Volume	1222L	Colour	Black	Depth	915
Unit Weight	468kg	Internal Light	LED	Height	2090
Packaged Weight	500kg	Colour Temperature	4000K	Internal (mm)	
Total Display Area	4.06m²	No of Shelf Tiers incl. Base	4 + 4 + base		
Adjustable Temp. Range	-1°C to +10°C	Shelf Type	Adjustable height and angle		
Max. Ambient Temp.	25°C	Shelves Dimensions	1866(w) x 500(d) mm		
Climate Class	3M1	Temp. Controller	Digital	Width	1875
Energy Consumption	5.3kWh/24h	Air Curtain	Yes	Depth	680
GEMS Star Rating	9 stars	Number of Doors	4	Height	1562
Refrigeration Capacity	340W	Door Type	Glass	Packaged (mm)	
Refrigerant	R290	Door Style	Hinged		
Air Circulation	Fan Forced	Door Lock	No		
Rated Current	1.48A	Self-Closing Door	Yes		
Electrical Voltage	230V	Door Swing Dimension	469mm	Width	2125
Frequency	50Hz	Castors	Yes	Depth	980
Power Supply	Single Phase	Warranty	5 Years Bromic Extra Care Warranty – Labour and Parts	Height	2350
Plug Supplied	1 x 10A				