



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Bromic 3335656-NR FHM2500HD-NR Multideck Fridge – 1629L, Hinged Doors

Model / SKU: 3335656-NR

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: /media/products/44579/documents/spec_sheet-3.pdf

**Full Height Multideck Fridge
2500mm - 4 Doors - Hinged**

| Multideck Display Fridges



Product stoppers
available as optional
accessory

Adjustable shelves
with three angles
for versatility and
flexibility

High-impact LED lights
to create a perfect
product presentation

R290 natural
refrigerant for
sustainable cooling

Simple plug-and-play
installation
for convenience

Clear sides for enhanced
product visibility

3M1 food safe for
safe storage of
perishable goods

Castors for easy
placement and
movement

Bumper rail to
protect against
accidental damage


High energy efficiency
with 8 Star GEMS rating
reduces running costs

Precise digital
controller for easy
temperature management

*The image is meant solely for illustrative purposes and
may not provide an accurate representation of the unit.

Full Height Multideck Fridge
2500mm - 4 Doors - Hinged

Multideck Display Fridges



SPECIFICATIONS				DIMENSIONS	
Model Number	FHM2500HD-NR	Plug Location	Rear, bottom left	External (mm)	
Part Number	3335656-NR	Cord Length	2m		
Volume	1629L	Colour	Black		Width 2580
Unit Weight	600kg	Internal Light	LED		Depth 915
Packaged Weight	640kg	Colour Temperature	4000K		Height 2090
Total Display Area	5.6m²	No of Shelf Tiers incl. Base	4 + 4 + base	Internal (mm)	
Adjustable Temp. Range	-1°C to +10°C	Shelf Type	Adjustable height and angle		
Max. Ambient Temp.	25°C	Shelves Dimensions	2490(w) x 500(d) mm		
Climate Class	3M1	Temp. Controller	Digital		Width 2500
Energy Consumption	9.5kWh/24h	Air Curtain	Yes		Depth 680
GEMS Star Rating	8 stars	Number of Doors	4		Height 1562
Refrigeration Capacity	581W	Door Type	Glass	Packaged (mm)	
Refrigerant	R290	Door Style	Hinged		
Air Circulation	Fan Forced	Door Lock	No		
Rated Current	2.52A	Self-Closing Door	Yes		Width 2750
Electrical Voltage	230V	Door Swing Dimension	625mm		Depth 980
Frequency	50Hz	Castors	Yes		Height 2350
Power Supply	Single Phase	Warranty	5 Years Bromic Extra Care Warranty – Labour and Parts		
Plug Supplied	1 x 10A				