



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Nemco NTS1045 Easy Tomato Slicer 2 – 4.5 mm Precise Cut

Model / SKU: NTS1045

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: /media/products/59166/documents/spec_sheet-ice-2026.pdf

ONLY FROM

nemco[®] | FOOD
EQUIPMENT

Easy Tomato Slicer 2

The fastest, easiest, most precise tomato slicing tool on the market. Period.



Buy once. Buy the original.
Always look for this mark of quality



Pretensioned for Trouble-Free Performance



Compact, efficient, fast and simple to use, the Nemco Easy Tomato Slicer has been a staple in foodservice kitchens for its labor- and space-saving advantages. Now, with its new pretensioned cartridge blade-set design, the Easy Tomato Slicer 2 is more convenient than ever.

No Need to Adjust the Blades

Cut tomatoes and labor. That's it. Now available as a changeable cartridge, the blade set stays properly aligned and tightened without the need to adjust it. That means employees spend less time fiddling with the blades so you:

- Minimize the chances of someone getting cut.
- Ensure a consistently sliced quality product.
- Save time during blade replacement.

Live Longer and Prosper

Building on the tough construction of the Easy Tomato Slicer, the cartridge blade set on this new model ensures even longer-lasting performance.

- By maintaining the blade tension, the cartridge design prevents misalignment that can cause the pusher to make contact with, and nick or damage the blades.
- Keeping the blades clean is key to their precision. Now with such an easily removable cartridge, rinsing the blades after use is no problem.
- The blades are razor-sharp stainless steel, while the frame and handles are constructed of commercial-grade aluminum.

Easier Than Ever to Use

Your employees are neither adjusting the blades, nor waiting around for a manager to do it. Rather, changing out the cartridge is a snap for anyone.

- The blade cartridge just slides into place with minimal handling and cannot be installed improperly.
- The slicer's vertical handle and protective guards improve user comfort and safety.
- The slide board is high-density polyethylene.

General Specifications

Model	Description	Slice Diameter
56600-1	3/16" Slice	Up to 4 1/2"
56600-2	1/4" Slice	Up to 4 1/2"
56600-3	3/8" Slice	Up to 4 1/2"

Optional Accessories

566-1	3/16" Cartridge Blade Assembly
566-2	1/4" Cartridge Blade Assembly
566-3	3/8" Cartridge Blade Assembly
55874-2	Easy Scooper Stem Remover (set of 2)

Dimensions

Equipment (w x d x h)	7 1/2" x 18 5/8" x 9 3/8"
Shipping Carton (l x w x h)	21 1/2" x 9 1/2" x 10 1/2"
Equipment Weight	9.5 lbs
Shipping Weight	11 lbs


Replacement parts are available through Nemco's 24-hour Zip Program.

Nemco reserves the right to make design, specification or model changes without notice.



Pretensioned blade cartridge maximizes safety, blade longevity and labor savings!

Blades are razor-sharp stainless steel for a smooth, precise cut.



nemco | FOOD EQUIPMENT

Physical Address: Corporate HQ
301 Meuse Argonne | Hicksville, OH 43526
800.782.6761 • 419.542.7751 • f: 419.542.6690

Mailing Address:
PO Box 305 | Hicksville, OH 43526

Nemco West Distribution Center/Test Kitchen
4300 E Magnolia Street | Phoenix, AZ 85034

NemcoFoodEquip.com

Printed 4/22. Printed in the USA.

