



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Bromic 3736265-NR UF1980GDL-NR Upright Display Freezer 1980L – 2050mm

Model / SKU: 3736265-NR

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: /media/products/72177/documents/spec_sheet-2.pdf

Upright Display Freezer 1980L - 3 Door - Flat Glass

| Upright Display Freezer

High-impact LED lightbox to capture customer's attention

Food safe storage with 3L1 climate class

2-star GEMS energy Rating

6 shelf tiers including base for display flexibility

High-impact LED lights on the left and right side of the door.

Self-closing doors ensure tight seal every time to minimise heat transfer

Fully compliant with Australian safety standards and regulations

Heated, Low-E triple glazed glass for improved condensation performance

35°C maximum ambient temperature for consistent cooling even in extreme heat


Lockable front castors for easy and secure positioning

Accurate temperature control with digital controller



Upright Display Freezer
1980L - 3 Door - Flat Glass

| Upright Display Freezer



SPECIFICATIONS				DIMENSIONS	
Part Number	3736265-NR	Internal Light	LED	External (mm)	
Volume	1980L	Colour Temp.	6500K		
Unit Weight	374kg	No. of Doors	3		Width 2050
Packaged Weight	384kg	Door Type	Glass		Depth 865
Adjustable Temp. Range	-18°C to -22°C	Door Glass Type	Triple glazed Low-E Glass	Internal (mm)	Height 2081
Max. Ambient Temp. Range	35°C	Door Shape	Flat		
Climate Class	3L1	Door Style	Hinged		
GEMS Star Rating	2	Door Lock	Yes		
Energy Consumption	30.71kWh/24h	Self-Closing Door	Yes	Packaged (mm)	
Refrigeration Capacity	1909W	Door Swing Dimension	696mm		
Refrigerant	R290	Total Depth of Door Open	1513mm		
Air-Circulation	Fan Forced	No. of Shelf Tiers incl Base	6		
Rated Current	8.68A	Shelf Type	Adjustable		
Electrical Voltage	240V	Shelf Dimensions	611(w), 666 (w middle) x 595(d) mm		
Frequency	50Hz	Temp. Controller	Digital		
Power Supply	Single Phase	Castors	Yes		Width 2110
Power Plug	1 x 15A	Colour	Black		Depth 898
Plug Location	Rear, bottom right	Warranty	5 Years Bromic Extra Care Warranty - Parts and Labour		Height 2132
Cord Length	3m				