



## PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

### PRODUCT

**Turbofan EHT10-L - 10 Tray 1/1 GN Electric Undercounter Touch Screen Extended Hot Ho**

**Model / SKU: EHT10-L**

#### KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email [sales@kwcommercial.com.au](mailto:sales@kwcommercial.com.au)

Web [www.kwcommercial.com.au](http://www.kwcommercial.com.au)



Scan for the current KW product page

### DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: [https://www.moffat.com.au/sites/default/files/products/specification/EHT10\\_SKEHT10\\_AN.pdf](https://www.moffat.com.au/sites/default/files/products/specification/EHT10_SKEHT10_AN.pdf)

Technical data sheet for

## EHT10-L HUMIDIFIED HOLDING CABINET ON THE SKEHT10 STAND

10 Tray Electric Humidified Holding Cabinet TOUCH CONTROL  
on a Stainless Steel Stand



### EHT10-L

Unit shall be a Moffat electrically heated Turbofan Humidified Holding Cabinet. NSF4 listed. The holding cabinet shall have double skin construction with stainless steel interior and exterior sides, front and top. Door shall be side hinged. Unit shall have capacity for 10 1/1GN pans. A single speed fan shall gently and evenly circulate air around the cabinet. Cabinet shall be controlled by a 5.7" Touch Screen control with individual shelf timers and cabinet temperature control and humidity level control. Holding Cabinet shall operate independently or in conjunction with Moffat Turbofan E33T Convection Oven. Holding Cabinet shall be fitted with a 10A cordset.

### SKEHT10

Unit shall be a Moffat Turbofan stainless steel stand NSF-4 listed. The stand shall be constructed from stainless steel tube with castors, with front castors having dual swivel and wheel locks. It shall be fitted with 5 tray runners suitable for up to 5 1/1 GN pans. The stand shall be fully compatible with, and support, Turbofan EHT10 Humidified Holding Cabinet. Unit shall be supplied in 100% recyclable shipping packaging.

### STANDARD FEATURES

- Designed for individual use or system installed with Turbofan E33T Convection Ovens
- 10 1/1GN pan capacity
- 74mm tray spacing
- Compact 610mm width
- Full viewing field reversible door
- 220-240V 10A plug-in cordset fitted
- 1600W cabinet heating
- Full double skin construction
- Touch Screen Control
- Individual shelf timers
- Electronic temperature control
- 600W heated humidification water tank
- Electronic humidity tank temperature control
- Autofill water tank system
- Continuous door seal
- Low velocity circulation fan system
- Dual LED halogen cabinet interior lamps
- 100% recyclable packaging

### ACCESSORIES - INCLUDED

- Two 145mm rear standoffs included
- 3M Cuno water filter kit complete with cartridge and connection fittings

### ACCESSORIES - OPTIONAL

- 1/1 GN non-stick wire baskets
- Turbofan SKEHT10 Holding Cabinet stand
- 237472 Stacking Kit E33 Oven - EHT10 Cabinet



