



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Hoshizaki 91000091 IM-240NE-28 Self-Contained Cube Ice Maker – 205kg/24h, 110kg Bin

Model / SKU: 91000091

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: /media/products/82271/documents/spec_sheet-4.pdf



HOSHIZAKI

FM - 120KE - 50 - HC

Flake 105kg Ice Maker - Self Contained

Model Number
91000189

Hoshizaki FM-120KE-50-HC is a self-contained ice maker producing up to 125kg (10°C Air temp; 10°C Water) of flake ice per 24 hours.



- CleanCycle6 system for rinse of built up impurities (minerals) every 6 hours
- Water consumption is equal to the ice production
- Ice making system with an automatic rinse cycle
- Auger is made of double hardened stainless steel
- Carbon graphite bushings allows the machine to work without grease
- Closed water circuit for contamination protection
- Operation time-based parts replacement system for preventive maintenance
- Cleanable air filter
- Removable door gasket
- Electronic controller

PRODUCT SPECIFICATION

Ice Type	Flake
Production Capacity per 24hours	Approx. 125kg @ 10°C Air temp; 10°C Water Approx. 105kg @ 21°C Air temp; 15°C Water Approx. 82kg @ 32°C Air temp; 21°C Water
Max Storage Capacity	Approx. 57kg - Levelled (Bin Control Setting Approx. 41kg)
Dimensions	940mm (W), 600mm (D), 800mm (798~833) (H)
Weight Net Packed Weight	76kg 88kg
Cooling	Air
AC Supply Voltage	1 PHASE 220-240V 50Hz/ 10 AMP Plug
Refrigerant	R290
Operating Conditions	Ambient Temp.: 5-40°C Water Supply Temp.: 5-35°C Water Supply Pressure: 0.05-0.8MPa Voltage Range: Rated Voltage $\pm 6\%$
Water Consumption Per 24h	Approx. 0.125m ³ @ 10°C Air temp; 10°C Water Approx. 0.105m ³ @ 21°C Air temp; 15°C Water Approx. 0.082m ³ @ 32°C Air temp; 21°C Water
Heat Rejection (AT 32°C, WT 21°C)	655W
Accessories included	Installation kit, Scoop
GEM Number	AIM0023

INSTALLATION REQUIREMENTS

- Ensure the condenser is cleaned periodically as per the manufacturer's manual.
- Do not plug the unit into multi-plug power boards with other appliances
- Room ventilation or air conditioning can improve the situation by reducing the humidity.
- Hoshizaki recommends the use of a compatible water filter to prevent non-warrantable scale & sediment complications.

*Refer to manual for full installation & maintenance requirements.



For free 6 month extended warranty, register online within 4 weeks of purchase date.
hoshizaki.com.au

Descriptions and specifications are subject to change at any time, without notice.
Illustrations for demonstration purposes. Copyright © 2026 Hoshizaki Lancer Pty Ltd. All right reserved.




HOSHIZAKI

FM - 120KE - 50 - HC

Flake 105kg Ice Maker - Self Contained

TECHNICAL DRAWING



For free 6 month extended warranty, register online within 4 weeks of purchase date.
hoshizaki.com.au

Descriptions and specifications are subject to change at any time, without notice.
Illustrations for demonstration purposes. Copyright © 2026 Hoshizaki Lancer Pty Ltd. All rights reserved.