



## PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

### PRODUCT

**True TWT-48D-2-HC 2-Drawer Worktop Refrigerator with 100 mm Backsplash – 166 L, 122**

**Model / SKU: TWT-48D-2-HC**


#### KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email [sales@kwcommercial.com.au](mailto:sales@kwcommercial.com.au)

Web [www.kwcommercial.com.au](http://www.kwcommercial.com.au)



Scan for the current KW product page

### DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: <https://true-middleware.s3.eu-west-1.amazonaws.com/pdfs/aus/TWT-48D-2-HC.pdf>



# TWT-48D-2-HC



| Dimensions                         |                              |
|------------------------------------|------------------------------|
| External Width (mm)                | 1229                         |
| External Depth (mm)                | 766                          |
| External Height (mm)               | 1004                         |
| Net Volume (Litres)                | 166                          |
| Gross Volume (Litres)              | 340                          |
| Supplied Shelves                   | 2                            |
| Internal Net Height (mm)           | 630                          |
| Per Drawer Capacity (max depth mm) | 1x 305 mm x 458 mm pan (150) |
| Unpackaged Weight (kg)             | 107                          |
| Packaged Weight (kg)               | 118                          |
| Packaged Dimensions (W x D x H mm) | 1296 x 839 x 1207            |

| Build                |      |
|----------------------|------|
| Drawer Count         | 2    |
| Cord Length (Meters) | 2.13 |

| Technical                      |                    |
|--------------------------------|--------------------|
| Temperature Range              | 0.5 : 3.3°C        |
| Refrigerant                    | R290               |
| Voltage/Frequency/Phase        | 220-240V/50-60Hz/1 |
| Amps                           | 1                  |
| Watts                          | 230                |
| Climate Class                  | 5                  |
| Test Standard                  | EN 16825           |
| EEC                            | B                  |
| Energy Efficiency Index        | 27                 |
| Defrost Type                   | Auto               |
| Energy Consumption (kWh/24h)   | 1.64               |
| Energy Consumption (kWh/Annum) | 602                |




Specifications subject to change without notice.  
Chart dimensions rounded up to the next whole millimeter (inches rounded up to the 1/8")


UK & Ireland  
EMEA  
Australia

[0800 783 2049](tel:08007832049)  
[+41 61 563 07 05](tel:+41615630705)  
[+61 2 9619 9999](tel:+61296199999)


[TFIUK@truemfg.com](mailto:TFIUK@truemfg.com)  
[TrueCHCustomerService@truemfg.com](mailto:TrueCHCustomerService@truemfg.com)  
[TrueRefAus@truemfg.com](mailto:TrueRefAus@truemfg.com)




# TWT-48D-2-HC



Specifications subject to change without notice.  
Chart dimensions rounded up to the next whole millimeter (inches rounded up to the 1/8")



UK & Ireland  
EMEA  
Australia



0800 783 2049  
+41 61 563 07 05  
+61 2 9619 9999

TFIUK@truemfg.com  
TrueCHCustomerService@truemfg.com  
TrueRefAus@truemfg.com

