



## PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

### PRODUCT

**True TPP-AT-60D-2-HC Pizza Prep Table, 8x 1/3 Top Pans, 2 Drawers + 1 Solid Swing Door**

**Model / SKU: TPP-AT-60D-2-HC**

#### KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email [sales@kwcommercial.com.au](mailto:sales@kwcommercial.com.au)

Web [www.kwcommercial.com.au](http://www.kwcommercial.com.au)



Scan for the current KW product page

### DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: <https://true-middleware.s3.eu-west-1.amazonaws.com/pdfs/aus/TPP-AT-60D-2-HC.pdf>

# TPP-AT-60D-2-HC


Pizza Prep Table, 8x 1/3 Top Pans, 2 Drawers + 1 Solid Swing Door



| Dimensions                         |                                                                                    |
|------------------------------------|------------------------------------------------------------------------------------|
| External Width (mm)                | 1531                                                                               |
| External Depth (mm)                | 854                                                                                |
| External Height (mm)               | 1133                                                                               |
| Exclusions                         | Depth does not include 26 mm for rear bumpers and 42mm for cutting board overhang. |
| Gross Volume (Litres)              | 451                                                                                |
| Supplied Shelves                   | 2                                                                                  |
| Shelf Size (L x D mm)              | 439 x 712                                                                          |
| Internal Net Height (mm)           | 550                                                                                |
| Top Pans Supplied (depth mm)       | 8x 1/3 GN (150)                                                                    |
| Per Drawer Capacity (max depth mm) | 1 x 2/1 GN (200)                                                                   |
| Unpackaged Weight (kg)             | 178                                                                                |
| Packaged Weight (kg)               | 189                                                                                |
| Packaged Dimensions (W x D x H mm) | 1702 x 966 x 1245                                                                  |
| Cutting Board (L x D mm)           | 1531 x 496                                                                         |
| Supplied with                      | Heavy duty lock-in-place ø 127 mm castors (146 mm height)                          |

| Build                 |                                                             |
|-----------------------|-------------------------------------------------------------|
| Door Description      | 1 Solid Swing Door                                          |
| Drawer Count          | 2                                                           |
| Drawers Location      | Right (standard) or Left (option)                           |
| Exterior Construction | Stainless steel front, top & lids, aluminium sides and rear |
| Interior Construction | Clear coated aluminium, stainless steel base                |
| Air Intake Position   | Front                                                       |
| Ventilation Position  | Front                                                       |
| Clearance Required    | Zero back and sides                                         |
| Cord Length (Meters)  | 3.35                                                        |
| Standard w/ Locks     | Not Standard (SPEC3 option)                                 |

| Technical               |                    |
|-------------------------|--------------------|
| Temperature Range       | 0.5 : 5°C          |
| Refrigerant             | R290               |
| Voltage/Frequency/Phase | 220-240V/50-60Hz/1 |
| Amps                    | 1.8                |
| Watts                   | 414                |
| Defrost Type            | Auto               |



Specifications subject to change without notice.  
Chart dimensions rounded up to the next whole millimeter (inches rounded up to the 1/8")

UK & Ireland  
EMEA  
Australia



0800 783 2049  
[+41 61 563 07 05](tel:+41615630705)  
[+61 2 9619 9999](tel:+61296199999)

[TFIUK@truemfg.com](mailto:TFIUK@truemfg.com)  
[TrueCHCustomerService@truemfg.com](mailto:TrueCHCustomerService@truemfg.com)  
[TrueRefAus@truemfg.com](mailto:TrueRefAus@truemfg.com)



TPP-AT-60D-2-HC

Pizza Prep Table, 8x 1/3 Top Pans, 2 Drawers + 1 Solid Swing Door



UK & Ireland  
EMEA  
Australia



0800 783 2049  
+41 61 563 07 05  
+61 2 9619 9999

TFIUK@truemfg.com  
TrueCHCustomerService@truemfg.com  
TrueRefAus@truemfg.com

Specifications subject to change without notice.  
Chart dimensions rounded up to the next whole millimeter (inches rounded up to the 1/8")

