



## PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

### PRODUCT

**True TBR72-RISZ1-L-S-111-2 Bar Refrigerator, Stainless Steel Ext, 3 Glass Slide Doors**

**Model / SKU: TBR72-RISZ1-L-S-111-2**

#### KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email [sales@kwcommercial.com.au](mailto:sales@kwcommercial.com.au)

Web [www.kwcommercial.com.au](http://www.kwcommercial.com.au)



Scan for the current KW product page

### DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: <https://true-middleware.s3.eu-west-1.amazonaws.com/pdfs/aus/TBR72-RISZ1-L-S-111-2.pdf>

Bar Refrigeration

TBR72-RISZ1-L-S-111-2


Bar Refrigerator, Stainless Steel Ext, 3 Glass Slide Doors



| Dimensions                         |                                                                                              |
|------------------------------------|----------------------------------------------------------------------------------------------|
| External Width (mm)                | 1829                                                                                         |
| External Depth (mm)                | 631                                                                                          |
| External Height (mm)               | 881                                                                                          |
| Exclusions                         | Depth does not include 16 mm for door handle. Height does not include 7 mm for leg levelers. |
| Gross Volume (Litres)              | 660                                                                                          |
| Supplied Shelves                   | 9                                                                                            |
| Shelf Size (L x D mm)              | 437 x 458                                                                                    |
| Internal Net Height (mm)           | 730                                                                                          |
| Unpackaged Weight (kg)             | 194                                                                                          |
| Packaged Weight (kg)               | 205                                                                                          |
| Packaged Dimensions (W x D x H mm) | 2007 x 724 x 1067                                                                            |
| Supplied with                      | Levelling Screws. Optional castors sold seperately.                                          |

| Build                 |                                                                        |
|-----------------------|------------------------------------------------------------------------|
| Door Description      | 3 Full Glass Slide Doors                                               |
| Exterior Construction | Stainless Steel front and countertop. Matching Aluminium sides & rear. |
| Interior Construction | Stainless Steel                                                        |
| Air Intake Position   | Front                                                                  |
| Ventilation Position  | Front                                                                  |
| Clearance Required    | Zero back and sides                                                    |
| Cord Length (Meters)  | 3.04                                                                   |
| Internal Lighting     | TruLumina®                                                             |
| Standard w/ Locks     | Not Standard. Options available.                                       |

| Technical               |                    |
|-------------------------|--------------------|
| Temperature Range       | 0.5 : 3.3°C        |
| Refrigerant             | R290               |
| Voltage/Frequency/Phase | 220-240V/50-60Hz/1 |
| Amps                    | 1.3                |
| Watts                   | 299                |
| Defrost Type            | Auto               |



UK & Ireland  
EMEA  
Australia



0800 783 2049  
+41 61 563 07 05  
+61 2 9619 9999

TFIUK@truemfg.com  
TrueCHCustomerService@truemfg.com  
TrueRefAus@truemfg.com

Specifications subject to change without notice.  
Chart dimensions rounded up to the next whole millimeter (inches rounded up to the 1/8")



### Bar Refrigerator, Stainless Steel Ext, 3 Glass Slide Doors






Chart dimensions rounded up to the next whole millimeter (inches rounded up to the 1/8")

0800 783 2049  
+41 61 563 07 05  
+61 2 9619 9999

[TFIUK@truemfg.com](mailto:TFIUK@truemfg.com)  
[TrueCHCustomerService@truemfg.com](mailto:TrueCHCustomerService@truemfg.com)  
[TrueRefAus@truemfg.com](mailto:TrueRefAus@truemfg.com)

