



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

True TBR60-PTSZ1-L-B-11-11-2 "Pass-Thru" Bar Refrigerator, Black Ext, 2 Glass Slide Do

Model / SKU: TBR60-PTSZ1-L-B-11-11-2

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: <https://true-middleware.s3.eu-west-1.amazonaws.com/pdfs/aus/TBR60-PTSZ1-L-B-11-11-2.pdf>

TBR60-PTSZ1-L-B-11-11-2

"Pass-Thru" Bar Refrigerator, Black Ext, 2 Glass Slide Doors Front, 2 Glass Slide Doors Rear



Dimensions	
External Width (mm)	1524
External Depth (mm)	631
External Height (mm)	881
Exclusions	Depth does not include 15 mm for front + 15 mm for back door handles. Height does not include 7 mm for leg levelers.
Gross Volume (Litres)	550
Supplied Shelves	6
Shelf Size (L x D mm)	540 x 458
Internal Net Height (mm)	730
Unpackaged Weight (kg)	169
Packaged Weight (kg)	180
Packaged Dimensions (W x D x H mm)	1690 x 801 x 1067
Supplied with	Levelling Screws. Optional castors sold seperately.

Build	
Door Description	2 Full Glass Slide Doors
Exterior Construction	Black powder coated steel front. Matching black coated Aluminium sides & rear. Stainless steel countertop.
Interior Construction	Stainless Steel
Air Intake Position	Front
Ventilation Position	Front
Clearance Required	Zero back and sides
Cord Length (Meters)	3.04
Internal Lighting	TruLumina®
Standard w/ Locks	Not Standard. Options available.

Technical	
Temperature Range	0.5 : 3.3°C
Refrigerant	R290
Voltage/Frequency/Phase	220-240V/50-60Hz/1
Amps	1.3
Watts	299
Defrost Type	Auto



Specifications subject to change without notice.
Chart dimensions rounded up to the next whole millimeter (inches rounded up to the 1/8")

UK & Ireland
EMEA
Australia

[0800 783 2049](tel:08007832049)
[+41 61 563 07 05](tel:+41615630705)
[+61 2 9619 9999](tel:+61296199999)

TFIUK@truemfg.com
TrueCHCustomerService@truemfg.com
TrueRefAus@truemfg.com



Technical drawings of the 1000 Series Walk-In Freezer, showing front, side, and top views with dimensions in inches and millimeters.

Front View Dimensions:

- Overall Width: 60" [1524]
- Overall Height: 34 11/16" [881]
- Top Panel Height: 2 3/16" [56]
- Side Panel Height: 25 17/32" [648]
- Bottom Panel Height: 25/32" [20]
- Interior Width: 42 9/16" [1081]
- Interior Height: 28 7/32" [717]
- Top Panel Interior Height: 26 15/16" [684]
- Side Panel Interior Height: 30 27/32" [784]
- Top Panel Interior Width: 22 3/4" [578]
- Side Panel Interior Width: 26 9/16" [675]
- Bottom Panel Interior Height: 3 15/16" [100]
- Bottom Panel Interior Width: 4 5/16" [110]

Side View Dimensions:

- Overall Depth: 25 17/32" [648]
- Top Panel Depth: 2 3/16" [56]
- Side Panel Depth: 25/32" [20]
- Interior Depth: 26 15/16" [684]
- Side Panel Interior Depth: 30 27/32" [784]
- Bottom Panel Interior Depth: 3 15/16" [100]
- Bottom Panel Interior Width: 4 5/16" [110]

Top View Dimensions:

- Overall Width: 60" [1524]
- Overall Depth: 44 13/32" [1128]
- Top Panel Width: 22 3/4" [578]
- Side Panel Width: 26 9/16" [675]
- Bottom Panel Width: 3 15/16" [100]
- Bottom Panel Depth: 4 5/16" [110]
- Top Panel Depth: 2 3/16" [56]
- Side Panel Depth: 25/32" [20]
- Interior Width: 42 9/16" [1081]
- Interior Depth: 28 7/32" [717]
- Top Panel Interior Depth: 26 15/16" [684]
- Side Panel Interior Depth: 30 27/32" [784]
- Bottom Panel Interior Depth: 3 15/16" [100]
- Bottom Panel Interior Width: 4 5/16" [110]

Other Labels:

- GLASS DOOR VIEWING AREA 19 9/32" [490] X 22 31/32" [584]
- POWER CORD EXIT
- FLOOR ACCESS
- DRAIN ACCESS
- ACCESS OPPOSITE CONDENSING UNIT



Chart dimensions rounded up to the next whole millimeter (inches rounded up to the 1/8")

TFIUK@truemfg.com
TrueCHCustomerService@truemfg.com
TrueRefAus@truemfg.com

