



## PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

### PRODUCT

**Waldorf IN8200R5-LS 450mm Electric Induction Cooktop Low Back Version - Leg Stand**

**Model / SKU: IN8200R5-LS**

#### KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email [sales@kwcommercial.com.au](mailto:sales@kwcommercial.com.au)

Web [www.kwcommercial.com.au](http://www.kwcommercial.com.au)



Scan for the current KW product page

### DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: [https://moffat.global.ssl.fastly.net/sites/default/files/products/range\\_catalogue/WALDORF\\_INDUCTION\\_An.pdf](https://moffat.global.ssl.fastly.net/sites/default/files/products/range_catalogue/WALDORF_INDUCTION_An.pdf)




ELECTRIC

# WALDORF INDUCTION.

**MOFFAT**®



- 6    The Environment
- 9    Induction options
- 10   450mm Induction Cooktops
- 12   900mm Induction Cooktops
- 14   900 Induction Range Convection Oven
- 20   450mm Induction Wok



# INDUCTION. THE POWER OF TOMORROW.



WALDORF 800 / WALDORF BOLD 2024

3

THE COOKING  
WORLD IS  
LOOKING TO  
**INDUCTION  
TECHNOLOGY**  
AS THE  
FUTURE  
FOR SAFER,  
GREENER  
FOOD SERVICE  
OPERATIONS.



WALDORF 800 / WALDORF BOLD 2024

# THE ENVIRONMENT



## **If it's not sustainable, why do it?**

At Moffat, we aim to inspire chefs, bakers, and cooks to create a more sustainable world by equipping them with the best tools powered by renewable energy.

As innovators of world class cooking technology, we've taken up the challenge to reduce the environmental consequences of what we do. It's an evolving process of reducing our carbon footprint that's as much about elevating the performance and longevity of these products as it is about how they are made, packaged, delivered.

We are lucky that the heart of our operation is powered by renewable energy. The majority of electricity supplied to Moffat's New Zealand manufacturing facility in Christchurch is generated from hydroelectric power stations on South Island dams. These hydro dams are replenished by rainfall to provide a natural energy source with significantly lower greenhouse gas emissions than any fossil fuelled power alternative.

Our efforts to lift environmental performance are ongoing as we develop new processes and technology. At the same time, we encourage food service professionals to reduce their own carbon footprints by making the transition to more sustainable electric platforms.



### **Built to last.**

Waldorf units are finished in heavy gauge 304 grade stainless steel. Fully framed doors incorporate a new heavy-duty hinge system and our ranges are all built on a galvanised steel chassis. The superb finishing that has become a hallmark of Waldorf products includes fully welded seams and bullnoses, and polished stainless-steel surfaces.

### **Hygiene made easier.**

Rounded corners and edges (internal and external) and streamlined top surfaces make for effortless cleaning and wiping down of an entire Waldorf cooking line.

### **Service on the fly.**

Waldorf design allows each unit to be serviced and maintained in situ, minimising the need to remove it or shut down an entire cooking line.

### **Make a Bold choice.**

The Waldorf Bold Range is for chefs wanting to make a statement by adding some colour to their world. It's available in three vitreous enamel colours: black, burgundy, and chilli red. Vitreous enamel is highly resistant to wear and tear and will retain its colour for the life of the unit. Waldorf cabinet base doors are also available in Bold colours.

# MORE INDUCTION OPTIONS.

## **Induction Cooktops 450mm and 900mm**

The expanded line-up of Waldorf induction cooktops was conceived to meet a growing demand for more options in how this powerful technology is applied.


Construction delivers typical Waldorf styling and functionality that includes a heavy-duty 6mm ceramic glass glide top and powerful new 5.0kW variable heat zones that deliver more power and precision than ever before. Auto pan detection saves energy and makes for a cooler working environment by turning off the heat when pans are removed.

Various configurations of cooktop are available in 450mm and 900mm widths with round and full area induction zones. Cooktops can be supplied with suite matching modular cabinet bases with doors and adjustable feet as standard.



### **Induction Cooktop Standard Features**

- Heavy-duty construction
- Automatic pan detection switches the induction zone off when a pan is removed
- 3 models of base unit
- Stainless steel exterior
- Fully modular
- Easy clean, installation and service

TWO 270MM  
SQUARE FULL AREA  
INDUCTION ZONE  
5KW HEATING /  
TWO 270MM .DIA  
ROUND INDUCTION  
ZONES  
3.5KW HEATING OR  
5KW HEATING



TWO 270MM  
SQUARE FULL AREA  
INDUCTION ZONE  
5KW HEATING



FOUR 270MM .DIA  
ROUND INDUCTION  
ZONES  
3.5KW HEATING OR  
5KW HEATING OR




FOUR 270MM  
SQUARE FULL AREA  
INDUCTION ZONE  
5KW HEATING

TWO 270MM .DIA  
ROUND INDUCTION  
ZONES  
5KW HEATING OR  
3.5KW HEATING



ONE 270MM  
SQUARE FULL AREA  
INDUCTION ZONE  
5KW HEATING

ONE 270MM .DIA  
ROUND INDUCTION  
ZONE  
5KW HEATING OR  
3.5KW HEATING





| PRODUCT                                                                  | MODEL OPTIONS / DIMENSIONS                                                                                                                                                                                                                                                                                             | HOB VARIATIONS | MODEL CODES                                                                                                                                                                                                                                                                                                                                  |
|--------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>450MM</b><br><b>INDUCTION COOKTOP</b><br>5kW Full Area Induction Zone | <p>BENCH MODEL<br/>CABINET BASE MODEL<br/>CABINET BASE WITH DOOR<br/>LEG STAND MODEL</p> <p><b>Bench model</b><br/>W 450mm, D 805mm, H 355mm<br/>Incl. splashback 570mm<br/>Incl. low back 410mm</p> <p><b>All other models</b><br/>W 450mm, D 805mm, H 915mm<br/>Incl. splashback 1130mm<br/>Incl. low back 970mm</p> |                | <p>IN8100F-B<br/>IN8100F-CB<br/>IN8100F-CD<br/>IN8100F-LS</p> <p><b>Series Options</b><br/><b>IN -</b> Standard splashback models<br/><b>INL -</b> Low back models<br/><b>INB -</b> Bold vitreous enamel colour front finish on standard splashback models<br/><b>INLB -</b> Bold vitreous enamel colour front finish on low back models</p> |







| PRODUCT                                                                           | MODEL OPTIONS / DIMENSIONS                                                                              | HOB VARIATIONS                                                                    | MODEL CODES |
|-----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------|
| <b>450MM</b><br><b>INDUCTION COOKTOP</b><br>3.5kW and 5kW<br>Round Induction Zone | BENCH MODEL                                                                                             |  | IN8100R3-B  |
|                                                                                   | CABINET BASE MODEL                                                                                      |                                                                                   | IN8100R3-CB |
|                                                                                   | CABINET BASE WITH DOOR                                                                                  |                                                                                   | IN8100R3-CD |
|  | LEG STAND MODEL                                                                                         |                                                                                   | IN8100R3-LS |
|                                                                                   | <b>Bench model</b><br>W 450mm, D 805mm, H 355mm<br>Incl. splashback 570mm<br>Incl. low back 410mm       |  | IN8100R5-B  |
|                                                                                   |                                                                                                         |                                                                                   | IN8100R5-CB |
|                                                                                   | <b>All other models</b><br>W 450mm, D 805mm, H 915mm<br>Incl. splashback 1130mm<br>Incl. low back 970mm |                                                                                   | IN8100R5-CD |
|                                                                                   |                                                                                                         |                                                                                   | IN8100R5-LS |

|                                                                                     |                                                                                                         |                                                                                   |            |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------|
| <b>450MM</b><br><b>INDUCTION COOKTOP</b><br>2 x 5kW Full Area Induction Zones       | BENCH MODEL                                                                                             |  | IN8200F-B  |
|                                                                                     | CABINET BASE MODEL                                                                                      |                                                                                   | IN8200F-CB |
|                                                                                     | CABINET BASE WITH DOOR                                                                                  |                                                                                   | IN8200F-CD |
|  | LEG STAND MODEL                                                                                         |                                                                                   | IN8200F-LS |
|                                                                                     | <b>Bench model</b><br>W 450mm, D 805mm, H 355mm<br>Incl. splashback 570mm<br>Incl. low back 410mm       |                                                                                   |            |
|                                                                                     | <b>All other models</b><br>W 450mm, D 805mm, H 915mm<br>Incl. splashback 1130mm<br>Incl. low back 970mm |                                                                                   |            |

|                                                                                            |                                                                                                         |                                                                                     |             |
|--------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------|
| <b>450MM</b><br><b>INDUCTION COOKTOP</b><br>2 x 3.5kW and 2 x 5kW<br>Round Induction Zones | BENCH MODEL                                                                                             |  | IN8200R3-B  |
|                                                                                            | CABINET BASE MODEL                                                                                      |                                                                                     | IN8200R3-CB |
|                                                                                            | CABINET BASE WITH DOOR                                                                                  |                                                                                     | IN8200R3-CD |
|         | LEG STAND MODEL                                                                                         |                                                                                     | IN8200R3-LS |
|                                                                                            | <b>Bench model</b><br>W 450mm, D 805mm, H 355mm<br>Incl. splashback 570mm<br>Incl. low back 410mm       |  | IN8200R5-B  |
|                                                                                            |                                                                                                         |                                                                                     | IN8200R5-CB |
|                                                                                            | <b>All other models</b><br>W 450mm, D 805mm, H 915mm<br>Incl. splashback 1130mm<br>Incl. low back 970mm |                                                                                     | IN8200R5-CD |
|                                                                                            |                                                                                                         |                                                                                     | IN8200R5-LS |



*Heirloom carrots with  
orange and miso.*

| PRODUCT                                                                                                                             | MODEL OPTIONS / DIMENSIONS                                                                                                                                                                                                                                                                               | HOB VARIATIONS                                                                                                                                                                                                                                                                                                                                       | MODEL CODES                                                                                                                    |
|-------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| <b>900MM</b><br><b>INDUCTION COOKTOP</b><br>4 x 5kW Full Area<br>Induction Zones                                                    | BENCH MODEL<br>CABINET BASE MODEL<br>CABINET BASE WITH DOORS<br>LEG STAND MODEL<br><br><b>Bench models</b><br>W 900mm, D 805mm, H 355mm<br>Incl. splashback 570mm<br>Incl. low back 410mm<br><br><b>All other models</b><br>W 900mm, D 805mm, H 915mm<br>Incl. splashback 1130mm<br>Incl. low back 970mm |                                                                                                                                                                                                                                                                     | IN8400F-B<br>IN8400F-CB<br>IN8400F-CD<br>IN8400F-LS                                                                            |
|                                                    |                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                |
| <b>900MM</b><br><b>INDUCTION COOKTOP</b><br>4 x 3.5kW and 4 x 5kW<br>Round Induction Zones                                          | BENCH MODEL<br>CABINET BASE MODEL<br>CABINET BASE WITH DOORS<br>LEG STAND MODEL<br><br><b>Bench models</b><br>W 900mm, D 805mm, H 355mm<br>Incl. splashback 570mm<br>Incl. low back 410mm<br><br><b>All other models</b><br>W 900mm, D 805mm, H 915mm<br>Incl. splashback 1130mm<br>Incl. low back 970mm | <br>                                                                                                                                                                           | IN8400R3-B<br>IN8400R3-CB<br>IN8400R3-CD<br>IN8400R3-LS<br><br>IN8400R5-B<br>IN8400R5-CB<br>IN8400R5-CD<br>IN8400R5-LS         |
|                                                  |                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                |
| <b>900MM</b><br><b>INDUCTION COOKTOP</b><br>2 x 3.5kW or 4 x 5kW<br>Round Induction Zones<br>2 x 5.0kW Full Area<br>Induction Zones | BENCH MODEL<br>CABINET BASE MODEL<br>CABINET BASE WITH DOORS<br>LEG STAND MODEL<br><br><b>Bench models</b><br>W 900mm, D 805mm, H 355mm<br>Incl. splashback 570mm<br>Incl. low back 410mm<br><br><b>All other models</b><br>W 900mm, D 805mm, H 915mm<br>Incl. splashback 1130mm<br>Incl. low back 970mm |  <br>  | IN8400R3F-B<br>IN8400R3F-CB<br>IN8400R3F-CD<br>IN8400R3F-LS<br><br>IN8400R5F-B<br>IN8400R5F-CB<br>IN8400R5F-CD<br>IN8400R5F-LS |
|                                                  |                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                |

# MEET OUR NEW HEAD OF THE FAMILY.

## **Induction Range Convection Oven 900mm**

For the first time, Waldorf has introduced the 900mm Induction Range with Convection Oven – a veritable powerhouse that food service professionals have long been waiting for.

The new 800 Series Induction Range combines the space saving design of Waldorf induction technology with the refined looks and time-tested dependability of our convection oven line-up.

Up top, you have a choice of various combinations of four full area or round cooking zones in 3.5kW or 5kW.

The electronic components of the induction cooktop are housed within the unit itself which means there's no compromise on space down below where a full size 6.1kW 2/1 GN convection oven completes the package.

### **Induction Range Standard Features**

- Heavy-duty construction
- Four Induction zones
- Automatic pan detection switches the induction zone off when a pan is removed
- GN 2/1 6.1kW electric convection oven
- Dual oven circulation fans
- Drop down door
- Stainless steel exterior
- Fully modular
- Easy clean, installation and service

TWO 270MM .DIA  
ROUND INDUCTION  
ZONES  
5KW HEATING /  
TWO 270MM  
SQUARE FULL AREA  
INDUCTION ZONES  
5KW HEATING



MODELS ALSO  
AVAILABLE:  
FOUR 270MM FULL  
INDUCTION ZONES  
5KW HEATING /  
FOUR 270MM .DIA  
ROUND INDUCTION  
ZONES  
5KW HEATING /  
FOUR 270MM .DIA  
ROUND INDUCTION  
ZONES  
3.5KW HEATING

GN 2/1 6.1KW  
ELECTRIC  
CONVECTION OVEN

*Disclaimer : The white circles and pastel yellow square colours in the rendered image are not a product feature. They form part of this rendered image to demonstrate the dimension of the induction cooking zones and the proximity of each in the total cooking space.*



*Duck leg confit  
with pumpkin puree.*

| PRODUCT                                                                                                                                                                                                                                                             | MODEL OPTIONS / DIMENSIONS                                                                                               | HOB VARIATIONS                                                                       | MODEL CODES                                 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------|
| <b>900MM</b><br><b>INDUCTION RANGE</b><br><b>CONVECTION OVEN</b><br>GN 2/1 Electric Convection oven with 4 x 5.0kW Full Area Induction                                                                                                                              | W 900mm, D 805mm, H 915mm<br>Incl. splashback 1130mm<br>Incl. low back 970mm                                             |     | IN8410ECF                                   |
|                                                                                                                                                                                    |                                                                                                                          |                                                                                      |                                             |
| <b>900MM</b><br><b>INDUCTION RANGE</b><br><b>CONVECTION OVEN</b><br>GN 2/1 Electric Convection oven with<br>4 x 3.5kW Round Induction,<br>4 x 5.0kW Round Induction, 2<br>x 5.0kW Round and 2 x 5.0kW Full Area Induction                                           | W 900mm, D 805mm, H 915mm<br>Incl. splashback 1130mm<br>Incl. low back 970mm                                             |   | IN8410ECR3<br>IN8410ECR5<br><br>IN8410ECR5F |
|                                                                                                                                                                                  |                                                                                                                          |                                                                                      |                                             |
| <b>Series Options</b><br><b>RN</b> - Standard splashback models<br><b>RNL</b> - Low back models<br><b>RNB</b> - Bold vitreous enamel colour front finish on standard splashback models<br><b>RNLB</b> - Bold vitreous enamel colour front finish on low back models | NO COMPROMISE ON SPACE DOWN BELOW<br> |  |                                             |

# A FUSION OF TRADITIONS

## Induction Wok 450mm

Designed for smaller scale food service applications, the Induction Wok brings an Asian influence to western style cooking without the extra cost of an extraction system.

Available in 3.5kW and 5.0kW with a choice of bench mount, cabinet base, or leg stand.

### Induction Wok Standard Features

- Heavy-duty construction
- 300mm round induction wok 3.5kW or 5kW models
- Automatic pan detection switches the induction zone off when wok pan removed
- 3 models of base unit
- Stainless steel exterior
- Fully modular
- Easy clean, installation and service



WALDORF 800 / WALDORF BOLD 2024

| PRODUCT                                                      | MODEL OPTIONS                                                                  | DIMENSIONS                                                                                                                                                                                                       | MODEL CODES                                                                                                            |
|--------------------------------------------------------------|--------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|
| <b>450MM</b><br><b>INDUCTION WOK</b><br>3.5kW and 5kW models | BENCH MODEL<br>CABINET BASE MODEL<br>CABINET BASE WITH DOOR<br>LEG STAND MODEL | <b>Bench model</b><br>W 450mm, D 805mm, H 415mm<br>Incl. splashback 630mm<br>Incl. low back 470mm<br><br><b>All other models</b><br>W 450mm, D 805mm, H 915mm<br>Incl. splashback 1130mm<br>Incl. low back 970mm | IN8100W3-B<br>IN8100W3-CB<br>IN8100W3-CD<br>IN8100W3-LS<br><br>IN8100W5-B<br>IN8100W5-CB<br>IN8100W5-CD<br>IN8100W5-LS |



- Series Options**
- IN** - Standard splashback models
  - INL** - Low back models
  - INB** - Bold vitreous enamel colour front finish on standard splashback models
  - INLB** - Bold vitreous enamel colour front finish on low back models



*Honey, soy glazed chicken.*

**Check in for the Waldorf Induction Experience.**

Our dealer showrooms are well resourced to give you a full run-down on the Waldorf 800 Induction Series. To book in for a demonstration or an introductory session at a Moffat test kitchen near you, please go to one of our websites:

Moffat Australia - [moffat.com.au/book-demo](http://moffat.com.au/book-demo)  
Moffat New Zealand - [moffat.co.nz/book-demo](http://moffat.co.nz/book-demo)

**Service Wherever you Are.**

The Moffat Technical Service Department provides 24/7 support and our network of authorised providers is strategically located for servicing outlying areas. Contact us directly on one of our toll-free numbers.

Moffat Australia - 1300 264 217  
Moffat New Zealand - 0800 663 328



**We've got your Back.**

Our 2 year warranty is backed by unrivalled service and technical support, delivering peace of mind from the moment you start.







#### Australia

[moffat.com.au](http://moffat.com.au)

#### Moffat Pty Limited

Victoria/Tasmania

740 Springvale Road

Mulgrave, Victoria 3170

Telephone +61 3-9518 3888

Facsimile +61 3-9518 3833

[vsales@moffat.com.au](mailto:vsales@moffat.com.au)

New South Wales

Telephone +61 2-8833 4111

[nswsales@moffat.com.au](mailto:nswsales@moffat.com.au)

South Australia

Telephone +61 3-9518 3888

[vsales@moffat.com.au](mailto:vsales@moffat.com.au)

Queensland / Northern Territory

Telephone +61 7-3630 8600

[qldsales@moffat.com.au](mailto:qldsales@moffat.com.au)

Western Australia

Telephone +61 8-9413 2400

[wasales@moffat.com.au](mailto:wasales@moffat.com.au)

#### New Zealand

[moffat.co.nz](http://moffat.co.nz)

#### Moffat Limited

Rolleston

45 Illinois Drive

Izone Business Hub

Rolleston 7675

Telephone +64 3-983 6600

Facsimile +64 3-983 6660

[sales@moffat.co.nz](mailto:sales@moffat.co.nz)

Auckland

Telephone +64 9-574 3150

[sales@moffat.co.nz](mailto:sales@moffat.co.nz)

#### International

[moffat.com](http://moffat.com)

#### Moffat Limited

Rolleston

45 Illinois Drive

Izone Business Hub

Rolleston 7675

Telephone +64 3-983 6600

Facsimile +64 3-983 6660

[international@moffat.co.nz](mailto:international@moffat.co.nz)

#### ISO9001

All Waldorf products are designed and manufactured by Moffat using the internationally recognised ISO9001 quality management system, covering design, manufacture and final inspection, ensuring consistent high quality at all times.

In line with policy to continually develop and improve its products, Moffat Limited reserves the right to change specifications and design without notice.

© Copyright Moffat Ltd  
AN.W8S.B.01/24



Australia



New Zealand



International

an Ali Group Company



The Spirit of Excellence