



## PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

### PRODUCT

## Waldorf RN8406E-LS 600mm Electric Cooktop Leg Stand

**Model / SKU: RN8406E-LS**

### KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email [sales@kwcommercial.com.au](mailto:sales@kwcommercial.com.au)

Web [www.kwcommercial.com.au](http://www.kwcommercial.com.au)



Scan for the current KW product page

### DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: [https://moffat.global.ssl.fastly.net/sites/default/files/products/brochure/WALDORF\\_an.pdf](https://moffat.global.ssl.fastly.net/sites/default/files/products/brochure/WALDORF_an.pdf)



 **Waldorf**®  
**800 SERIES**

800 SERIES BURNER 10  
WHAT'S NEW 11  
COOKTOPS 15  
INDUCTION COOKTOP 22  
OVEN RANGES 25  
TARGET TOPS 31  
GRIDDLES 35  
CHARGRILLS 42  
SALAMANDERS 44  
FRYERS 47  
FILTAMAX 51  
BRATT PANS 52  
PASTA COOKER 54  
BENCH TOPS 56



THE **WALDORF 800 SERIES**  
CONTINUES A TRADITION OF  
BULLETPROOF **PERFORMANCE**  
AND **DEPENDABILITY** WITH  
A RANGE OF EUROPEAN  
INSPIRED EQUIPMENT THAT  
REDEFINES HOW THE **ULTIMATE**  
KITCHEN SHOULD BE.



# AN **EXPANDED** RANGE OF EQUIPMENT MEANS MORE OPTIONS AND **UNLIMITED** CREATIVE POSSIBILITIES.

Cleaner lines and consistency in modular design across the entire range enable units to fit together to create an almost seamless workspace. The industry preferred 800mm depth ensures efficient use of space, while easily accommodating the advanced performance features that define the 800 Series.





# YOUR WORLD IS NOW FLATTER.

The new Waldorf 800 Series low back units deliver a seamless solution for the island suite kitchen. Create the layout you desire, mix and match tops and bottoms for your perfect result.





**Waldorf®**  
**800 SERIES**



# MORE **POWER** TO DESIGN YOUR OWN WORKSPACE. THE **CREATIVE** POSSIBILITIES ARE ALMOST ENDLESS.

Need a Oven to go under that Griddle? A Gas Cooktop with storage underneath? Are you desperate for extra refrigeration? With a bigger range of tops and bottoms available as individual units, the 800 Series enables you to configure your kitchen just about any way you like.





## MORE POWER TO COOK.

The advanced performance made possible by the open burner design of the 800 Series gives the workhorse in your kitchen serious power to burn.

The 28MJ burners allow precise heat adjustment across the entire spectrum (from high to low heat/simmer), providing just the right amount of heat, whatever the cooking task. Constructed from heavy-duty cast iron, with a forged brass cap for even flame spread, the non-clogging burner design ensures that continuous performance is never compromised.

Flame failure protection is fitted as standard with burner pilots optional. Robust gas controls are easy to use and designed to withstand the rigours of a busy commercial kitchen.



### Heavy-duty pot supports.

Heavyweight iron castings and full vitreous enamel finish add extra durability to the 800 Series. Levelled tops allow easy movement of pans between burners, while extended pot support fingers provide greater stability for small pan use.

### Simmer plates spread the heat.

A solid top simmer plate distributes heat evenly and provides excellent heat retention. It sits at the same level and is easily interchangeable with pot supports on all 800 Series Gas Cooktops.

# MORE OF EVERYTHING MEANS MORE **FLEXIBILITY.**

With an expanded range of products and features, the 800 Series can be configured to suit virtually any application.

New products include:

- Low back height option on all units, ideal for island suite applications
- 450mm gas Chargrill - bench, leg stand and cabinet base models
- 400mm single pan gas Fryer
- 900mm 4 burner Cooktops - available with leg stand, cabinet base or refrigerated base
- 450mm 2 burner Cooktops - leg stand or cabinet base
- 900mm 4 burner Ranges - gas or electric, static or convection ovens
- 450mm electric Pasta Cooker - 7kW or 10.5kW options
- 450 and 900mm Induction Cooktops available with cabinet base
- Adjustable electric Salamander
- Open cabinet bases in 450, 600, 900 or 1200mm
- Modular stainless steel preparation benches in 200, 300, 450, 600, and 900mm

Gas and electric Cooktops, Target Tops and Griddles can be ordered in the following options:

- Bench mounted
- Leg stand with shelf
- Cabinet with optional racking



## Smooth operation.

On its own, or as part of a whole cooking line, every unit in the 800 Series is designed to look fantastic. The same design philosophy has been applied across all units to create a streamlined, consistent appearance, and increase the amount of useable work surface. Continuous workspaces make transferring pots and pans between units much easier.

 **Waldorf**<sup>®</sup>  
**800 SERIES**



# OUR ENVIRONMENT.

All Moffat technology is both a product of its environment and a product for the environment. That means that whether the design, development or construction stage every detail is checked to ensure that our equipment is as energy efficient and earth-friendly as possible. We will continue to use every tool at our disposal to work towards reducing environmental impact even further. This way our products can be enjoyed by not just those who use them, but everyone.





### Robust as always.

All 800 Series units are finished in thick gauge 304 grade stainless steel. Fully framed doors incorporate a new robust hinging system. All our ranges are built on a full galvanized steel chassis construction. And the superb finishing that has become the hallmark of Waldorf products includes fully welded seams (including all bullnoses) and polished stainless steel surfaces.

### Here comes the chill factor.

The addition of refrigeration units to the 800 Series range means food can be contained and cooked in one place. Cooktops, Griddles and Target Tops can be matched with 900 or 1200mm gastronorm refrigeration bases, available in a range of door/drawer combinations. All units accept 1/1 gastronorm sizing.

Waldorf refrigeration units are rated for tropical temperatures up to 40°C and have a holding temperature of -2 to + 8°C. A digital temperature control and an automatic defrosting and condensate heater are standard on all units.

### How do you like your griddle?

Waldorf Cooktop griddle sections can now be fitted anywhere within your Gas Cooktop layout. They are available in 300, 600 and 900mm sections, with smooth or ribbed surfaces, or a mixture of both.

### Cleaning made easier.

The 800 Series range is designed for labour saving, easy cleaning. Rounded corners, internal and external edges enable easier wipe down and hygiene control. Streamlined surfaces make for effortless wiping down of a whole cooking line.

### Service while you cook.

The 800 Series design allows full service and maintenance to be carried out while units are installed within the cooking line. This minimises the need to shut down a whole line to service one unit.







# COOKTOPS.

Simplicity of operation and augmented performance are the key features defining Waldorf's range of Gas and Electric Cooktops.

Gas Cooktops feature heavy-duty, vitreous enamel pot stands with extended finger supports that allow pots and pans to slide easily from one burner to another, while their advanced open burners generate an impressive 28MJ of heat. The electric versions offer a choice of heavy-duty, 2.4kW radiant elements, or 2kW solid plates.

Both versions of Cooktop provide flexibility in terms of the type of Cooktop surface that can be used. Hot top simmer plates can be incorporated into the Gas Cooktop, while both gas and electric can accommodate 300, 600 or 900mm griddle plates.



# GAS COOKTOPS.

## Standard Features.

- Heavy-duty 304 grade stainless steel finish
- 28MJ rated open burners
- 2, 4, 6 or 8 burner Cooktop configuration
- Flame failure protection on all burners
- Removable heavy-duty cast iron burners and vitreous enamel pot stands
- Heavy-duty reinforced control knobs
- Griddles fitted with push-button piezo ignition
- 12mm griddle plate
- Mounted on leg stand with suite matching shelf
- Adjustable feet and 2 additional rollers
- Easy clean, installation and service

## Options.

- Flame failure with standing pilot
- Choice of griddle surface – smooth, ribbed, or both
- Bench mounted
- Gastronorm storage cabinet underneath
- Gastronorm refrigeration module underneath
- Castor or plinth mounting

## Accessories.

- Solid top simmer plates
- Mobile castor kit (set of 4 castors, 2 lockable)
- Joining caps



GAS COOKTOPS

300MM  
WALDORF 8200 SERIES  
2 BURNER COOKTOP

Model Options

BENCH MODEL ONLY

Dimensions

Bench models  
W 300mm, D 805mm, H 315mm  
Incl. splashback 530mm  
Incl. low back (RNL) 372mm

Hob Variations



Model Codes

RN8200G-B

RN8203G-B



RN8200G-B

450MM  
WALDORF 8450 SERIES  
2 BURNER COOKTOP

CABINET BASE MODEL  
LEG STAND MODEL

All models  
W 450mm, D 805mm, H 915mm  
Incl. splashback 1130mm  
Incl. low back (RNL) 972mm



RN8450G-CB  
RN8450G-LS



RN8450G-CB

600MM  
WALDORF 8400 SERIES  
4 BURNER COOKTOP

BENCH MODEL  
CABINET BASE MODEL  
LEG STAND MODEL

Bench models  
W 600mm, D 805mm, H 315mm  
Incl. splashback 530mm  
Incl. low back (RNL) 372mm

All other models  
W 600mm, D 805mm, H 915mm  
Incl. splashback 1130mm  
Incl. low back (RNL) 972mm



RN8400G-B  
RN8400G-CB  
RN8400G-LS

RN8403G-B  
RN8403G-CB  
RN8403G-LS

RN8406G-B  
RN8406G-CB  
RN8406G-LS




RN8400G-LS

900MM  
WALDORF 8900 SERIES  
4 BURNER COOKTOP

CABINET BASE MODEL  
LEG STAND MODEL  
REFRIGERATED BASE MODEL

All models  
W 900mm, D 805mm, H 915mm  
Incl. splashback 1130mm  
Incl. low back (RNL) 972mm



RN8900G-CB  
RN8900G-LS  
RN8900G-RB



RN8900G-LS

Ask for a detailed specification sheet on any of the Waldorf 800 Series Cooktops outlining construction, features and installation information.



GAS COOKTOPS

900MM  
WALDORF 8600 SERIES  
6 BURNER COOKTOP

Model Options  
BENCH MODEL  
CABINET BASE MODEL  
LEG STAND MODEL  
REFRIGERATED BASE MODEL






RN8603G-LS

Dimensions

**Bench models**  
W 900mm, D 805mm, H 315mm  
Incl. splashback 530mm  
Incl. low back (RNL) 372mm  
  
**All other models**  
W 900mm, D 805mm, H 915mm  
Incl. splashback 1130mm  
Incl. low back (RNL) 972mm

Hob Variations



Model Codes

RN8600G-B  
RN8600G-CB  
RN8600G-LS  
RN8600G-RB  
  
RN8603G-B  
RN8603G-CB  
RN8603G-LS  
RN8603G-RB  
  
RN8606G-B  
RN8606G-CB  
RN8606G-LS  
RN8606G-RB  
  
RN8609G-B  
RN8609G-CB  
RN8609G-LS  
RN8609G-RB





1200MM  
WALDORF 8800 SERIES  
8 BURNER COOKTOP

Model Options  
BENCH MODEL  
CABINET BASE MODEL  
LEG STAND MODEL  
REFRIGERATED BASE MODEL



RN8800G-RB

**Bench models**  
W 1200mm, D 805mm, H 315mm  
Incl. splashback 530mm  
Incl. low back (RNL) 372mm  
  
**All other models**  
W 1200mm, D 805mm, H 915mm  
Incl. splashback 1130mm  
Incl. low back (RNL) 972mm



RN8800G-B  
RN8800G-CB  
RN8800G-LS  
RN8800G-RB  
  
RN8803G-B  
RN8803G-CB  
RN8803G-LS  
RN8803G-RB  
  
RN8806G-B  
RN8806G-CB  
RN8806G-LS  
RN8806G-RB  
  
RN8809G-B  
RN8809G-CB  
RN8809G-LS  
RN8809G-RB



# ELECTRIC COOKTOPS.

## Standard Features.

- Heavy-duty 304 stainless steel finish
- 2.4kW radiant elements
- 2, 4 or 6 hot plate size configuration
- Six temperature settings with simmer setting
- Heavy-duty reinforced control knobs
- 12mm griddle plate
- Mounted on leg stand with suite matching shelf
- Adjustable feet and 2 additional rollers
- Easy clean, installation and service

## Options.

- 2kW solid plates
- Choice of griddle surface – smooth, ribbed, or both
- Bench mounted
- Gastronorm storage cabinet underneath
- Gastronorm refrigeration module underneath
- Castor or plinth mounting

## Accessories.

- Mobile castor kit (set of 4 castors, 2 lockable)
- Joining caps



ELECTRIC COOKTOPS

300MM  
WALDORF 8200 SERIES  
2 ELEMENT COOKTOP

Model Options

BENCH MODEL ONLY

Dimensions

**Bench models**  
W 300mm, D 805mm, H 315mm  
Incl. splashback 530mm  
Incl. low back (RNL) 372mm

Hob Variations



Model Codes

RN8200E-B

RN8203E-B



RN8200E-B

600MM  
WALDORF 8400 SERIES  
4 ELEMENT COOKTOP

BENCH MODEL  
CABINET BASE MODEL  
LEG STAND MODEL

**Bench models**  
W 600mm, D 805mm, H 315mm  
Incl. splashback 530mm  
Incl. low back (RNL) 372mm

**All other models**  
W 600mm, D 805mm, H 915mm  
Incl. splashback 1130mm  
Incl. low back (RNL) 972mm



RN8400E-B  
RN8400E-CB  
RN8400E-LS

RN8403E-B  
RN8403E-CB  
RN8403E-LS

RN8406E-B  
RN8406E-CB  
RN8406E-LS




RN8400E-LS

900MM  
WALDORF 8600 SERIES  
6 ELEMENT COOKTOP

BENCH MODEL  
CABINET BASE MODEL  
LEG STAND MODEL  
REFRIGERATED BASE MODEL

**Bench models**  
W 900mm, D 805mm, H 315mm  
Incl. splashback 530mm  
Incl. low back (RNL) 372mm

**All other models**  
W 900mm, D 805mm, H 915mm  
Incl. splashback 1130mm  
Incl. low back (RNL) 972mm



RN8600E-B  
RN8600E-CB  
RN8600E-LS  
RN8600E-RB

RN8603E-B  
RN8603E-CB  
RN8603E-LS  
RN8603E-RB

RN8606E-B  
RN8606E-CB  
RN8606E-LS  
RN8606E-RB

RN8609E-B  
RN8609E-CB  
RN8609E-LS  
RN8609E-RB



RN8600E-LS



# INDUCTION COOKTOPS.

The new Waldorf range of Induction Cooktops utilise large 270mm induction zones that automatically detect various sized cooking pans.

The cooking zone switches off when the pan is removed. Each induction model is equipped with either two or four 5kW heavy-duty induction zones that have variable power controls for each cooking zone. The overall construction is heavy-duty 6mm thick ceramic glass, enabling pans to glide across the cooking surface. All Induction Cooktops are supplied with suite matching modular cabinet bases with doors and adjustable feet as standard.

With a large control knob for each induction zone with a (green) indicator light including pan detection indication. Waldorf Induction Cooktops offer the additional benefits of reduced energy consumption and lowering the amount of latent heat in the cooking area.

## Standard Features.

- Heavy-duty 304 stainless steel finish
- 5kW rated induction cooking zones
- 270mm diameter induction cooking zones
- 2 or 4 induction cooktop configuration
- Fully sealed 6mm thick ceramic cooking surface
- Adjustable stainless steel legs
- Large easy use control knobs
- Automatic pan detection
- Easy clean, installation and service

## Accessories.

- Mobile castor kit (set of 4 castors, 2 lockable)
- Joining caps



INDUCTION COOKTOPS

450MM  
WALDORF 8200 SERIES  
2 INDUCTION ZONE  
COOKTOP

Model Options

CABINET BASE MODEL ONLY



IN8200E-CB

Dimensions

W 450mm, D 805mm, H 915mm  
Incl. splashback 1130mm  
Incl. low back (RNL) 972mm

Model Codes

IN8200E-CB

900MM  
WALDORF 8400 SERIES  
4 INDUCTION ZONE  
COOKTOP

CABINET BASE MODEL ONLY



IN8400E-CB

W 900mm, D 805mm, H 915mm  
Incl. splashback 1130mm  
Incl. low back (RNL) 972mm

IN8400E-CB

Ask for a detailed specification sheet on any of the Waldorf 800 Series Cooktops outlining construction, features and installation information.





## OVEN RANGES.

The 800 Series of Oven Ranges offers a number of gas and electric options designed to meet the varying demands of commercial kitchens.

In terms of sheer cooking power, both gas and electric have lifted performance to a new level. In the gas lineup, enhanced performance up top comes by way of the patented 28MJ open Cooktop burners, while the power of the Electric Cooktop is generated through heavy-duty, 2.4kW radiant elements, or optional 2kW solid plates.

Down below, both Gas and Electric Ovens feature cast iron sole plates for even heat distribution. Heavy-duty motors and circulation fans in the Convection Ovens enable reduced cooking times and lower temperatures.



# GAS RANGES.

## Standard Features.

Heavy-duty 304 grade stainless steel finish  
28MJ rated open burners  
2, 4, 6 or 8 burner Cooktop configuration  
Flame failure protection on all burners  
Removable heavy-duty cast iron burners and  
vitreous enamel pot stands  
Heavy-duty reinforced control knobs  
Drop down door with welded frame  
Fully welded and vitreous enamelled oven liner  
Cool touch stainless steel door handle  
Adjustable feet and 2 additional rollers  
Easy clean, installation and service

## Options.

Gas or electric, static or convection  
Flame failure with standing pilot  
Choice of griddle surface – smooth, ribbed, or both  
Castor or plinth mounting

## Accessories.

Solid top simmer plates  
Mobile castor kit (set of 4 castors, 2 lockable)  
Joining caps






GAS RANGES

600MM  
WALDORF 8410 SERIES  
4 BURNER COOKTOP

| Oven Options                                                                                        | Dimensions                                                                         | Hob Variations                                                                      | Model Codes |
|-----------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------|
|  G GAS STATIC OVEN | W 600mm, D 805mm, H 915mm<br>Incl. splashback 1130mm<br>Incl. low back (RNL) 972mm |  | RN8410G     |
|                    |                                                                                    |  | RN8413G     |
|                                                                                                     |                                                                                    |  | RN8416G     |

RN8410G

1200MM  
WALDORF 8820 SERIES  
8 BURNER COOKTOP

|                                                                                                               |                                                                                     |                                                                                       |         |
|---------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------|
|  G GAS DOUBLE<br>STATIC OVEN | W 1200mm, D 805mm, H 915mm<br>Incl. splashback 1130mm<br>Incl. low back (RNL) 972mm |    | RN8820G |
|                             |                                                                                     |    | RN8823G |
|                                                                                                               |                                                                                     |   | RN8826G |
|                                                                                                               |                                                                                     |  | RN8829G |

RN8820G

Waldorf 800 Series Oven Ranges start with a heavy-duty galvanized steel chassis. All oven liners are fully welded and vitreous enamelled. Cast iron sole plates in all ovens and welded frame doors ensure durable performance.





GAS RANGES

750MM  
WALDORF 8510 SERIES  
4 BURNER COOKTOP



RN8510GE



Oven Options

-   G GAS STATIC OVEN
-   GC GAS CONVECTION OVEN
-   GE ELECTRIC STATIC OVEN
-   GEC ELECTRIC CONVECTION OVEN

Dimensions

W 750mm, D 805mm, H 915mm  
Incl. splashback 1130mm  
Incl. low back (RNL) 972mm

Hob Variations



Model Codes

RN8510G  
RN8510GC  
RN8510GE  
RN8510GEC  
  
RN8513G  
RN8513GC  
RN8513GE  
RN8513GEC


900MM  
WALDORF 8910 SERIES  
4 BURNER COOKTOP



RN8510G

-   G GAS STATIC OVEN
-   GC GAS CONVECTION OVEN
-   GE ELECTRIC STATIC OVEN
-   GEC ELECTRIC CONVECTION OVEN

W 900mm, D 805mm, H 915mm  
Incl. splashback 1130mm  
Incl. low back (RNL) 972mm



RN8910G  
RN8910GC  
RN8910GE  
RN8910GEC



900MM  
WALDORF 8610 SERIES  
6 BURNER COOKTOP



RN8610G

-   G GAS STATIC OVEN
-   GC GAS CONVECTION OVEN
-   GE ELECTRIC STATIC OVEN
-   GEC ELECTRIC CONVECTION OVEN

W 900mm, D 805mm, H 915mm  
Incl. splashback 1130mm  
Incl. low back (RNL) 972mm



RN8610G  
RN8610GC  
RN8610GE  
RN8610GEC  
  
RN8613G  
RN8613GC  
RN8613GE  
RN8613GEC  
  
RN8616G  
RN8616GC  
RN8616GE  
RN8616GEC  
  
RN8619G  
RN8619GC  
RN8619GE  
RN8619GEC




1200MM  
WALDORF 8810 SERIES  
8 BURNER COOKTOP



RN8810GE

-   G GAS STATIC OVEN
-   GC GAS CONVECTION OVEN
-   GE ELECTRIC STATIC OVEN
-   GEC ELECTRIC CONVECTION OVEN

W 1200mm, D 805mm, H 915mm  
Incl. splashback 1130mm  
Incl. low back (RNL) 972mm



RN8810G  
RN8810GC  
RN8810GE  
RN8810GEC  
  
RN8813G  
RN8813GC  
RN8813GE  
RN8813GEC  
  
RN8816G  
RN8816GC  
RN8816GE  
RN8816GEC  
  
RN8819G  
RN8819GC  
RN8819GE  
RN8819GEC

# ELECTRIC RANGES.

## Standard Features.

- Heavy-duty 304 grade stainless steel finish
- 2.4 kW radiant elements
- 4 or 6 hot plate size configuration.
- Six hot plate temperature settings with simmer setting
- Heavy-duty reinforced control knobs
- 12mm griddle plate
- Drop down door with welded frame
- Fully welded and vitreous enamelled oven liner
- Cool touch stainless steel door handle
- Adjustable feet and 2 additional rollers
- Easy clean, installation service

## Options.

- Choice of griddle surface - smooth ribbed or both
- 2kW solid plates
- Electric - static or convection
- Castor or plinth mounting

## Accessories.

- Mobile castor kit (set of 4 castors, 2 lockable)
- Joining caps



### ELECTRIC RANGES

900MM  
WALDORF 8610 SERIES  
6 ELEMENT COOKTOP



RN8610E

### Oven Options

-  E ELECTRIC STATIC OVEN
-  EC ELECTRIC CONVECTION OVEN

### Dimensions

W 900mm, D 805mm, H 915mm  
Incl. splashback 1130mm  
Incl. low back (RNL) 972mm

### Hob Variations



### Model Codes

RN8610E  
RN8610EC  
  
RN8613E  
RN8613EC  
  
RN8616E  
RN8616EC  
  
RN8619E  
RN8619EC





## TARGET TOPS.

Waldorf 900mm Target Tops are available as stand-alone hobs, or with a choice of four base units – cabinet base, leg stand, refrigeration base, or oven base (static/convection, gas/electric).

Featuring a high output, dual ring cast iron burner, the super heavy-duty Target Top casting provides outstanding heat recovery and heat control. Outstanding thermal efficiency is achieved by way of a burner box lined with 50mm refractory ceramic blocks.



# TARGET TOPS.

## Standard Features.

- Heavy-duty 304 grade stainless steel finish
- 45MJ dual ring cast iron burner
- Flame failure protection and continuous pilot burner
- Top plates and removable centre with spill protection design
- Heavy-duty reinforced control knobs
- Mounted on leg stand with suite matching shelf
- Adjustable feet and 2 additional rollers
- Target Top Oven Range includes -
- Drop down door with welded frame
- Fully welded and vitreous enamelled oven liner
- Cool touch stainless steel door handle
- Easy clean, installation and service

## Options.

- Bench mounted
- Gastronorm storage cabinet underneath
- Gastronorm refrigeration module underneath
- Castor or plinth mounting

## Accessories.

- Mobile castor kit (set of 4 castors, 2 lockable)
- Joining caps



GAS TARGET TOPS

900MM  
WALDORF 8100 SERIES  
TARGET TOP



RN8100G-CB

Model Options

BENCH MODEL  
CABINET BASE MODEL  
LEG STAND MODEL  
REFRIGERATED BASE MODEL

Dimensions

All models  
W 900mm, D 805mm, H 915mm  
Incl. splashback 1130mm  
Incl. low back (RNL) 972mm

Model Codes

RN8100G-B  
RN8100G-CB  
RN8100G-LS  
RN8100G-RB

Oven Options

-   G GAS STATIC OVEN
-   GC GAS CONVECTION OVEN
-   GE ELECTRIC STATIC OVEN
-   GEC ELECTRIC CONVECTION OVEN

Dimensions

W 900mm, D 805mm, H 915mm  
Incl. splashback 1130mm  
Incl. low back (RNL) 972mm

Model Codes

RN8110G  
RN8110GC  
RN8110GE  
RN8110GEC

900MM  
WALDORF 8110 SERIES  
TARGET TOP OVEN



RN8110G

Ask for a detailed specification sheet on any of the Waldorf 800 Series Target Tops and Target Top Ranges outlining construction, maintenance and installation information.





# GRIDDLES.

Waldorf heavy-duty Gas Griddles are available in 450, 600, 900 and 1200mm widths and Electric Griddles are available in 600, 900 and 1200mm widths. Gas Griddle Ranges are available in 900 and 1200mm, Electric Griddle Ranges are available in 900mm, both have with electric ovens in static or convection.

All heavy-duty Griddles feature seamless weld construction with a solid 20mm thick plate as standard, for maximum heat retention and distribution. They are thermostatically controlled for accurate temperature setting, and are available in machine finished mild steel plate, or the new mirror chromed finish for more consistent performance. They also offer a choice of smooth or ribbed surfaces, or a mixture of both.



# GRIDDLES.

## Standard Features.

- Heavy-duty 304 grade stainless steel finish
- Thermostatic control
- 20mm thick machined top plates
- Full pilot and flame failure protection
- Top weld sealed plates
- Stainless steel grease drawer
- Heavy-duty reinforced control knobs
- Push-button piezo ignition
- Mounted on leg stand with suite matching shelf
- Adjustable feet and 2 additional rollers
- Easy clean, installation and service
- Griddle Oven Range includes -
- Drop down door with welded frame
- Fully welded and vitreous enamelled oven liner
- Cool touch stainless steel door handle
- Easy clean, installation and service

## Options.

- Choice of griddle surface – smooth, ribbed, or both
- Mirror chromed plate option
- Bench mounted
- Gastronorm storage cabinet underneath
- Gastronorm refrigeration module underneath
- Castor or plinth mounting

## Accessories.

- Mobile castor kit (set of 4 castors, 2 lockable)
- Joining caps



GAS GRIDDLES

450MM  
WALDORF 8450 SERIES  
GRIDDLE



GP8450G-LS

Model Options

BENCH MODEL  
CABINET BASE MODEL  
LEG STAND MODEL

Dimensions

**Bench models**  
W 450mm, D 805mm, H 315mm  
Incl. splashback 530mm  
Incl. low back (GPL) 372mm

**All other models**  
W 450mm, D 805mm, H 915mm  
Incl. splashback 1130mm  
Incl. low back (GPL) 972mm

Model Codes

GP8450G-B  
GP8450G-CB  
GP8450G-LS

600MM  
WALDORF 8600 SERIES  
GRIDDLE



GP8600G-LS

BENCH MODEL  
CABINET BASE MODEL  
LEG STAND MODEL

**Bench models**  
W 600mm, D 805mm, H 315mm  
Incl. splashback 530mm  
Incl. low back (GPL) 372mm

**All other models**  
W 600mm, D 805mm, H 915mm  
Incl. splashback 1130mm  
Incl. low back (GPL) 972mm

GP8600G-B  
GP8600G-CB  
GP8600G-LS

900MM  
WALDORF 8900 SERIES  
GRIDDLE



GP8900G-CB

BENCH MODEL  
CABINET BASE MODEL  
LEG STAND MODEL  
REFRIGERATED BASE MODEL

**Bench models**  
W 900mm, D 805mm, H 315mm  
Incl. splashback 530mm  
Incl. low back (GPL) 372mm

**All other models**  
W 900mm, D 805mm, H 915mm  
Incl. splashback 1130mm  
Incl. low back (GPL) 972mm

GP8900G-B  
GP8900G-CB  
GP8900G-LS  
GP8900G-RB

1200MM  
WALDORF 8120 SERIES  
GRIDDLE



GP8120G-LS

BENCH MODEL  
CABINET BASE MODEL  
LEG STAND MODEL  
REFRIGERATED BASE MODEL

**Bench models**  
W 1200mm, D 805mm, H 315mm  
Incl. splashback 530mm  
Incl. low back (RNL) 372mm

**All other models**  
W 1200mm, D 805mm, H 915mm  
Incl. splashback 1130mm  
Incl. low back (GPL) 972mm

GP8120G-B  
GP8120G-CB  
GP8120G-LS  
GP8120G-RB



ELECTRIC GRIDDLES

600MM  
WALDORF 8600 SERIES  
GRIDDLE



GP8600E-LS

Model Options

BENCH MODEL  
CABINET BASE MODEL  
LEG STAND MODEL

Dimensions

Bench models  
W 600mm, D 805mm, H 315mm  
Incl. splashback 530mm  
Incl. low back (GPL) 372mm

All other models  
W 600mm, D 805mm, H 915mm  
Incl. splashback 1130mm  
Incl. low back (GPL) 972mm

Model Codes

GP8600E-B  
GP8600E-CB  
GP8600E-LS

900MM  
WALDORF 8900 SERIES  
GRIDDLE



GP8900E-LS

BENCH MODEL  
CABINET BASE MODEL  
LEG STAND MODEL  
REFRIGERATED BASE MODEL

Bench models  
W 900mm, D 805mm, H 315mm  
Incl. splashback 530mm  
Incl. low back (GPL) 372mm

All other models  
W 900mm, D 805mm, H 915mm  
Incl. splashback 1130mm  
Incl. low back (GPL) 972mm

GP8900E-B  
GP8900E-CB  
GP8900E-LS  
GP8900E-RB

1200MM  
WALDORF 8120 SERIES  
GRIDDLE



GP8120E-LS

BENCH MODEL  
CABINET BASE MODEL  
LEG STAND MODEL  
REFRIGERATED BASE MODEL

Bench models  
W 1200mm, D 805mm, H 315mm  
Incl. splashback 530mm  
Incl. low back (GPL) 372mm

All other models  
W 1200mm, D 805mm, H 915mm  
Incl. splashback 1130mm  
Incl. low back (GPL) 972mm

GP8120E-B  
GP8120E-CB  
GP8120E-LS  
GP8120E-RB



GAS GRIDDLE

900MM  
WALDORF 8910 SERIES  
GRIDDLE OVEN



GP8910G

Oven Options

- GE ELECTRIC STATIC OVEN
- GEC ELECTRIC CONVECTION OVEN

Dimensions

W 900mm, D 805mm, H 915mm  
Incl. splashback 1130mm  
Incl. low back (GPL) 972mm

Model Codes

GP8910GE  
GP8910GEC

900MM  
WALDORF 8121 SERIES  
GRIDDLE OVEN



GP8121GEC

- GE ELECTRIC STATIC OVEN
- GEC ELECTRIC CONVECTION OVEN

W 1200mm, D 805mm, H 915mm  
Incl. splashback 1130mm  
Incl. low back (GPL) 972mm

GP8121GE  
GP8121GEC



ELECTRIC GRIDDLE

900MM  
WALDORF 8910 SERIES  
GRIDDLE OVEN



GP8910EC

Oven Options

- E ELECTRIC STATIC OVEN
- EC ELECTRIC CONVECTION OVEN

Dimensions

W 900mm, D 805mm, H 915mm  
Incl. splashback 1130mm  
Incl. low back (GPL) 972mm

Model Codes

GP8910E  
GP8910EC



# GRIDDLE TOASTER.

The Waldorf 800 Series Griddle Toaster uses one set of specially designed burners and stainless steel radiants to perform two functions. The burners heat the 16mm thick grill plate above them while providing heat to the toasting rack below, without compromising cooking times or performance.



## GRIDDLE TOASTER

600MM  
WALDORF 8600 SERIES  
GRIDDLE TOASTER



GT8600G

## Dimensions

W 600mm, D 805mm, H 915mm  
Incl. splashback 1130mm  
Incl. low back (GTL) 972mm

## Model Code

GT8600G





# GAS CHARGRILLS.

Powerful stainless steel burners are the engine room of the 800 Series Chargrills. Heavy-duty cast iron grates and radiants deliver maximum heat right to the cooking surface edge.

The inclined position incorporates a flare reducing grate fin design, with grooves, to run grease into a front collection channel. Interchangeable 300 and 450mm drop-on griddle sections add an extra dimension to 800 Series Chargrills.

## Standard Features.

- Heavy-duty 304 grade stainless steel finish
- Reversible heavy-duty top grates
- Inclined position to reduce flare and enhance grease run
- 33MJ/hr stainless steel burners per 300mm section
- Flame failure protection with continuous pilot burner
- Lift out grates, radiants and baffles for cleaning
- Heavy-duty reinforced control knobs
- Mounted on leg stand with suite matching shelf
- Adjustable feet and 2 additional rollers
- Easy clean, installation and service

## Options.

- Castor or plinth mounting

## Accessories.

- Interchangeable drop-on griddle plates
- Mobile castor kit (set of 4 castors, 2 lockable)
- Joining caps



GAS CHARGRILL

300MM  
WALDORF 8300 SERIES  
CHARGRILL

Model Options

BENCH MODEL ONLY



CH8300G-B

Dimensions

W 300mm, D 805mm, H 315mm  
Incl. splashback 530mm  
Incl. low back (CHL) 372mm

Model Codes

CH8300G-B

450MM  
WALDORF 8450 SERIES  
CHARGRILL

BENCH MODEL  
CABINET BASE MODEL  
LEG STAND MODEL



CH8450G-LS

**Bench models**  
W 450mm, D 805mm, H 315mm  
Incl. splashback 530mm  
Incl. low back (CHL) 372mm

CH8450G-B  
CH8450G-CB  
CH8450G-LS

**All other models**  
W 450mm, D 805mm, H 915mm  
Incl. splashback 1130mm  
Incl. low back (CHL) 972mm

600MM  
WALDORF 8600 SERIES  
CHARGRILL

BENCH MODEL  
CABINET BASE MODEL  
LEG STAND MODEL



CH8600G-LS

**Bench models**  
W 600mm, D 805mm, H 315mm  
Incl. splashback 530mm  
Incl. low back (CHL) 372mm

CH8600G-B  
CH8600G-CB  
CH8600G-LS

**All other models**  
W 600mm, D 805mm, H 915mm  
Incl. splashback 1130mm  
Incl. low back (CHL) 972mm

900MM  
WALDORF 8900 SERIES  
CHARGRILL

BENCH MODEL  
CABINET BASE MODEL  
LEG STAND MODEL



CH8900G-LS

**Bench models**  
W 900mm, D 805mm, H 315mm  
Incl. splashback 530mm  
Incl. low back (CHL) 372mm

CH8900G-B  
CH8900G-CB  
CH8900G-LS

**All other models**  
W 900mm, D 805mm, H 915mm  
Incl. splashback 1130mm  
Incl. low back (CHL) 972mm

1200MM  
WALDORF 8120 SERIES  
CHARGRILL

BENCH MODEL  
CABINET BASE MODEL  
LEG STAND MODEL



CH8120G-LS

**Bench models**  
W 1200mm, D 805mm, H 315mm  
Incl. splashback 530mm  
Incl. low back (CHL) 372mm

CH8120G-B  
CH8120G-CB  
CH8120G-LS

**All other models**  
W 1200mm, D 805mm, H 915mm  
Incl. splashback 1130mm  
Incl. low back (CHL) 972mm

Ask for a detailed specification sheet on the Waldorf 800 Series Griddles outlining construction, features and installation information.



## SOLID FUEL GRILLS.

Bring outdoor cooking inside with the Waldorf Solid Fuel Grill. Featuring heavy-duty stainless steel rod grates and heavy-duty firebox, the Solid Fuel Grill is available in 600mm, 900mm and 1200mm widths.

Gain a unique char and add natural smoke flavour to your menu. Fully modular for a match suite finish the cabinet base is available with or without doors. Outstanding thermal efficiency is achieved by way of a firebox lined with 50mm refractory blocks.

### Standard Features.

- Fully modular solid fuel grill
- 3 modular width models
- Heavy-duty fire box
- Heavy-duty stainless steel rod grates
- Stainless steel exterior
- Open box easy clean
- Low back models (SFL) available
- Ash rake included
- Welded hob with 1.5mm 304 stainless steel bull nose
- Spalshback and side panels 1.2mm 304 stainless steel
- Front panel's 0.9mm stainless steel
- 50mm thick refractory brick lined fire box
- Insulated sides

### Options.

- Cabinet base with or without doors



SOLID FUEL GRILL

600MM  
WALDORF 8600 SERIES  
SOLID FUEL GRILL

Model Options

CABINET BASE MODEL  
(WITH OR WITHOUT DOORS)



SF8600-CB

Dimensions

W 600mm, D 805mm, H 915mm  
Incl. splashback 1130mm  
Incl. low back 970mm

Model Codes

SF8600-CB  
SF8600-CD

900MM  
WALDORF 8900 SERIES  
SOLID FUEL GRILL

CABINET BASE MODEL  
(WITH OR WITHOUT DOORS)



SF8900-CB

W 900mm, D 805mm, H 915mm  
Incl. splashback 1130mm  
Incl. low back 970mm

SF8900-CB  
SF8900-CD

1200MM  
WALDORF 8120 SERIES  
SOLID FUEL GRILL

CABINET BASE MODEL  
(WITH OR WITHOUT DOORS)



SF8120-CB

W 1200mm, D 805mm, H 915mm  
Incl. splashback 1130mm  
Incl. low back 970mm

SF8120-CB  
SF8120-CD



# SALAMANDERS.

User-friendly Waldorf Gas and Electric Salamanders are well equipped to meet the production and performance demands of the professional kitchen.

Efficiency comes by way of high-speed infrared burners and elements that heat up rapidly and use less energy to get the job done by directing more heat to the cooking surfaces.

Both gas and electric options can accommodate a Gastronorm GN 1/1 tray.

## Standard Features.

- Heavy-duty 304 grade stainless steel finish
- Powerful 2 x 3kW elements or 2 x infrared 15.5MJ burners (8200 models)
- SN8100E model features 2 x 1.8kW elements
- Standing pilot with flame failure on gas models
- Left and right hand heat control
- Wall mounting bracket
- Easy clean, installation and service
- Bottom collection tray

## Accessories.

- Branding plate



GAS SALAMANDER

900MM  
WALDORF 8200 SERIES  
SALAMANDER



SN8200G

| Options                                                                  | Dimensions                                                   | Model Codes         |
|--------------------------------------------------------------------------|--------------------------------------------------------------|---------------------|
| SN8200G<br>Four position racking (flat or inclined)                      | W 900mm, D 390mm (420mm with wall mounting bracket), H 400mm | SN8200G<br>SN8200GB |
| SN8200GB<br>Four position racking (flat or inclined) with branding plate |                                                              |                     |



ELECTRIC SALAMANDER

900MM  
WALDORF 8200 SERIES  
SALAMANDER



SN8200E

| Options                                                                  | Dimensions                                                   | Model Codes         |
|--------------------------------------------------------------------------|--------------------------------------------------------------|---------------------|
| SN8200E<br>Four position racking (flat or inclined)                      | W 900mm, D 390mm (420mm with wall mounting bracket), H 400mm | SN8200E<br>SN8200EB |
| SN8200EB<br>Four position racking (flat or inclined) with branding plate |                                                              |                     |

600MM  
WALDORF 8100 SERIES  
ADJUSTABLE SALAMANDER



SN8100E

|                                        |                                                              |         |
|----------------------------------------|--------------------------------------------------------------|---------|
| Self balancing adjustable grill height | W 600mm, D 510mm (540mm with wall mounting bracket), H 514mm | SN8100E |
|----------------------------------------|--------------------------------------------------------------|---------|

Ask for a detailed specification sheet on the Waldorf 800 Series Salamanders outlining construction, features and installation information.



# FRYERS.

Waldorf Fryers have long set the benchmark for durability, speed and economy. The 800 Series builds on this tradition with a redesigned range of Fryers. Whatever your deep-frying demands, Waldorf covers all possibilities with a range including single or twin pan, Gas, Electric or High Performance and Output (HPO) Fryers in 400, 450 or 600mm.

Gas units feature Waldorf's unique Fast Fri technology, incorporating patented infrared burners for industry leading frying output and recovery.

All Fryers are available with either mechanical or digital controls. Digital control models offer precise temperature control, three product timers, as well as time and temperature digital display. Twin pan models have independent digital controls for each pan and six product timers.

For high volume operations, the 800 Series High Performance and Output (HPO) Fryers take speed and performance to another level again. Increased production (up to 50kg/hr) and superior recovery times are made possible through a blower system that pushes greater volumes of air and gas through specially designed ceramic fibre burners. More heat is absorbed by the oil, resulting in lower flue exhaust temperatures and lower production costs per kilo.

## Standard Features.

- Heavy-duty 304 grade stainless steel finish
- Gas models feature the patented infrared burner system
- Easy clean stainless steel open pan with 10-year limited warranty
- 32mm drain valve
- Oil level and over temperature safety cut-outs
- Stainless steel exterior
- Fully modular
- Baskets and lids included
- Adjustable feet with additional rear rollers
- Easy clean, installation and service

## Options.

- Waldorf Filtamax Filtration System
- Castor or plinth mounting

## Accessories.

- Extra baskets
- Side splash guards
- Mobile castor kit (set of 4 castors, 2 lockable)
- Joining caps



GAS FRYER

400MM  
WALDORF SINGLE PAN  
GAS FRYER

CapacityDimensionsVariationsModel Codes

18 LITRE CAPACITYW 400mm, D 805mm, H 915mm  
Incl. splashback 1130mm  
Incl. low back (FNL) 1082mm

MECHANICAL  
CONTROLS

FN8118G



FN8118G

450MM  
WALDORF SINGLE PAN  
GAS FRYER

20 LITRE CAPACITYW 450mm, D 805mm, H 915mm  
Incl. splashback 1130mm  
Incl. low back (FNL) 1082mm

MECHANICAL  
CONTROLS

FN8120G

DIGITAL DISPLAY  
ELECTRONIC  
CONTROLS

FN8120GE



FN8120G

450MM  
WALDORF TWIN PAN  
GAS FRYER

13 LITRE CAPACITY  
EACH PANW 450mm, D 805mm, H 915mm  
Incl. splashback 1130mm  
Incl. low back (FNL) 1082mm

MECHANICAL  
CONTROLS

FN8226G

DIGITAL DISPLAY  
ELECTRONIC  
CONTROLS

FN8226GE



FN8226G

600MM  
WALDORF SINGLE PAN  
GAS FRYER

31 LITRE CAPACITY  
EACH PANW 600mm, D 805mm, H 915mm  
Incl. splashback 1130mm  
Incl. low back (FNL) 1082mm

MECHANICAL  
CONTROLS

FN8130G

DIGITAL DISPLAY  
ELECTRONIC  
CONTROLS

FN8130GE

HPO FRYER -  
ELECTRONIC  
CONTROLS  
High Performance and  
Output Infrared burner  
system

FN8130G-HPO



FN8130G-HPO





| ELECTRIC FRYER                                                                      | Capacity                      | Dimensions                                                                          | Variations                                | Model Codes |
|-------------------------------------------------------------------------------------|-------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------|-------------|
| 450MM<br>WALDORF SINGLE PAN<br>ELECTRIC FRYER                                       | 27 LITRE CAPACITY             | W 450mm, D 805mm, H 915mm<br>Incl. splashback 1130mm<br>Incl. low back (FNL) 1082mm | MECHANICAL<br>CONTROLS                    | FN8127E     |
|                                                                                     |                               |                                                                                     | DIGITAL DISPLAY<br>ELECTRONIC<br>CONTROLS | FN8127EE    |
|  |                               |                                                                                     |                                           |             |
| FN8127E                                                                             |                               |                                                                                     |                                           |             |
| 450MM<br>WALDORF TWIN PAN<br>ELECTRIC FRYER                                         | 12 LITRE CAPACITY<br>EACH PAN | W 450mm, D 805mm, H 915mm<br>Incl. splashback 1130mm<br>Incl. low back (FNL) 1082mm | MECHANICAL<br>CONTROLS                    | FN8224E     |
|                                                                                     |                               |                                                                                     | DIGITAL DISPLAY<br>ELECTRONIC<br>CONTROLS | FN8224EE    |
|  |                               |                                                                                     |                                           |             |
| FN8224EE                                                                            |                               |                                                                                     |                                           |             |



# FILTAMAX.

Waldorf Filtamax is a fully integrated filtration system, designed to fit in the unused space beneath the Waldorf Fast Fri Gas and Electric Fryers.

Moisture, fatty acids and food residue spoil the taste of fried food by contaminating the oil in which food is cooked. Filtamax removes these impurities, enabling you to produce better tasting food and more consistent results. It also reduces your operating costs by extending the life of your cooking oil by up to 50%.

Filtamax can be configured to the filtering method best suited to your application - either a reusable filter bag or filter pad kit used in conjunction with Filtamax pad consumables.

All Filtamax filters are mobile and can be used to filter fryers other than Waldorf, as long as the cooking oil capacity of the fryer does not exceed the recommended Filtamax oil capacity.

## Standard Features.

- Heavy-duty 304 grade stainless steel finish
- Powerful reversible 1/3 HP pump
- Reusable filter bag
- Mounted on two fixed and two swivel castors
- Rigid delivery hose with heavy-duty insulated handle
- Easy clean, installation and service

## Options.

- Additional reusable filter bags
- Carbon pad upgrade kit
- Drain adaptor kit
- Drain extension kit



### ELECTRIC FILTAMAX

#### WALDORF 800 SERIES FILTAMAX FRYER FILTER



FF8135E

### Capacity

- 20 LITRE CAPACITY
- 30 LITRE CAPACITY
- 32 LITRE CAPACITY

### Dimensions

- W 324mm, D 683mm, H 562mm
- W 324mm, D 735mm, H 562mm
- W 474mm, D 683mm, H 562mm

### Model Codes

- FF8130E
- FF8135E
- FF8140E

Ask for a detailed specification sheet on the Waldorf 800 Series Filtamax outlining construction, features and installation information.



## BRATT PANS.

Big on performance, the 800 Series of tilting Bratt Pans has expanded to include a choice of 80 litre (900mm wide) or 120 litre (1200mm wide) options in gas or electric. Easy clean, easy service and superb finishing make the new Bratt Pans a welcome addition to the 800 Series line-up.

### Standard Features.

- Heavy-duty 304 grade stainless steel finish
- Manually operated tilting mechanism
- Heavy-duty lid and hinge system
- Galvanized steel chassis
- Stainless steel exterior
- Full stainless steel pan with 2mm pan body
- 12mm thick stainless steel even heat pan base
- Large capacity pouring spout
- Heavy-duty stainless steel legs with adjustable feet
- Large easy use control knobs - heat resistant reinforced
- Thermostatic control
- Over temperature safety cut-out
- Fold away handle on manual pan tilt
- Easy clean, installation and service

### Options.

- Electric power tilting mechanism
- Plinth mounting

### Accessories.

- Joining caps



GAS BRATT PANS

900MM  
WALDORF 800 SERIES  
GAS BRATT PANS

| Capacity          | Dimensions                                                                                                 | Variations                              | Model Codes |
|-------------------|------------------------------------------------------------------------------------------------------------|-----------------------------------------|-------------|
| 80 LITRE CAPACITY | W 900mm, D 805mm, H 915mm<br>Incl. splashback 1130mm<br>Incl. low back (BPL) 972mm<br>With lid open 1600mm | MANUALLY OPERATED<br>TILTING MECHANISIM | BP8080G     |
|                   |                                                                                                            | ELECTRIC POWER<br>TILTING MECHANISIM    | BP8080GE    |



BP8080G

1200MM  
WALDORF 800 SERIES  
GAS BRATT PANS

|                    |                                                                                                             |                                         |          |
|--------------------|-------------------------------------------------------------------------------------------------------------|-----------------------------------------|----------|
| 120 LITRE CAPACITY | W 1200mm, D 805mm, H 915mm<br>Incl. splashback 1130mm<br>Incl. low back (BPL) 972mm<br>With lid open 1600mm | MANUALLY OPERATED<br>TILTING MECHANISIM | BP8120G  |
|                    |                                                                                                             | ELECTRIC POWER<br>TILTING MECHANISIM    | BP8120GE |



BP8120G



ELECTRIC BRATT PANS

900MM  
WALDORF 800 SERIES  
ELECTRIC BRATT PANS

| Capacity          | Dimensions                                                                                                 | Variations                              | Model Codes |
|-------------------|------------------------------------------------------------------------------------------------------------|-----------------------------------------|-------------|
| 80 LITRE CAPACITY | W 900mm, D 805mm, H 915mm<br>Incl. splashback 1130mm<br>Incl. low back (BPL) 972mm<br>With lid open 1600mm | MANUALLY OPERATED<br>TILTING MECHANISIM | BP8080E     |
|                   |                                                                                                            | ELECTRIC POWER<br>TILTING MECHANISIM    | BP8080EE    |



BP8080EE


1200MM  
WALDORF 800 SERIES  
ELECTRIC BRATT PANS

|                    |                                                                                                             |                                         |          |
|--------------------|-------------------------------------------------------------------------------------------------------------|-----------------------------------------|----------|
| 120 LITRE CAPACITY | W 1200mm, D 805mm, H 915mm<br>Incl. splashback 1130mm<br>Incl. low back (BPL) 972mm<br>With lid open 1600mm | MANUALLY OPERATED<br>TILTING MECHANISIM | BP8120E  |
|                    |                                                                                                             | ELECTRIC POWER<br>TILTING MECHANISIM    | BP8120EE |



BP8120EE

Ask for a detailed specification sheet on the Waldorf 800 Series Bratt Pans outlining construction, features and installation information.



# PASTA COOKERS.

The 800 Series Pasta Cooker is built for speed. Fully modular, and featuring a unique pan design, it comes well equipped for the continuous production of perfect pasta.

From variable high boil to standby simmer, our patented infrared burner system maintains constant water temperature and enables faster turnaround of product through outstanding recovery times from low heat settings. The standard provision of four baskets allows four different pastas to be cooked at the same time.

## Standard Features.

- Unique pan design
- Fine adjustment water faucet for pan filling
- Starch-skimming system for constant water freshness
- 316 grade stainless steel pan for extra resistance to salt effects
- Easy clean stainless steel open pan with 10-year limited warranty
- 25mm drain valve for safe and easy cleaning
- Four stainless steel pasta baskets for multiple pasta cooking
- Safety cut out thermostat for empty pan/water boil out
- Hinged basket drain stand
- Removable basket support grid
- Adjustable feet and additional rear rollers
- Easy clean, installation and service

## Options.

- Plinth mounting
- Rectangular baskets

## Accessories.

- Side splashguards
- Joining caps



GAS PASTA COOKER

450MM  
WALDORF 8140 SERIES  
SINGLE PAN PASTA COOKER

| Capacity | Dimensions | Model Codes |
|----------|------------|-------------|
|----------|------------|-------------|

|                   |                                                                                    |         |
|-------------------|------------------------------------------------------------------------------------|---------|
| 40 LITRE CAPACITY | W 450mm, D 805mm, H 915mm<br>Incl. splashback 1130mm<br>Incl. low back (PCL) 972mm | PC8140G |
|-------------------|------------------------------------------------------------------------------------|---------|



PC8140G



ELECTRIC PASTA COOKER

450MM  
WALDORF 8140 SERIES  
SINGLE PAN PASTA COOKER

| Capacity | Dimensions | Model Codes |
|----------|------------|-------------|
|----------|------------|-------------|

|                   |                                                                                    |         |
|-------------------|------------------------------------------------------------------------------------|---------|
| 40 LITRE CAPACITY | W 450mm, D 805mm, H 915mm<br>Incl. splashback 1130mm<br>Incl. low back (PCL) 972mm | PC8140E |
|-------------------|------------------------------------------------------------------------------------|---------|



PC8140E

Ask for a detailed specification sheet on any of the Waldorf 800 Series Pasta Cookers outlining construction, features and installation information.



# BENCH TOPS.

The 800 Series Bench Top has been designed to seamlessly be added to any cooking lineup or to a new low back island suite. In a variety of widths, combinations and end models to streamline your kitchen - 200mm, 300mm, 400mm, 450mm, 550mm, 600mm and 700mm width models are available with a mixture of cabinet base, cabinet base with doors and leg stand. 900mm width are available with cabinet base, leg stand or refrigerated base.

Waldorf 800 Series Bench Tops give you the option of extra work area, storage or refrigeration.

## Standard Features.

- 3.5mm thick compound work surface
- 1.5mm heavy-duty 304 grade stainless steel top
- 2.0mm galvanised steel backing
- Mounted on leg stand with suite matching shelf
- Adjustable feet at front with rear rollers

## Options.

- Gastronorm storage cabinet underneath
- Gastronorm refrigeration module underneath
- Plinth mounting
- Castors

## Accessories.

- Mobile castor kit (set of 4 castors, 2 lockable)
- Joining caps

BENCH TOPS

200MM  
WALDORF 8200 SERIES  
BENCH TOP



BT8200-CD

Model Options

- CABINET BASE MODEL
- CABINET BASE WITH DOORS

Dimensions

- W 200mm, D 805mm, H 915mm  
Incl. splashback 1130mm
- Incl. low back (BTL) 972mm

Model Codes

- BT8200-CB
- BT8200-CD

300MM  
WALDORF 8300 SERIES  
BENCH TOP



BT8300-CD

- CABINET BASE WITH DOORS

- W 300mm, D 805mm, H 915mm  
Incl. splashback 1130mm  
Incl. low back (BYL) 972mm

- BT8300-CD

400MM  
WALDORF 8400 SERIES  
BENCH TOP



BT8400-CD-LH

- CABINET BASE WITH DOORS  
LEFT HAND END
- CABINET BASE WITH DOORS  
RIGHT HAND END

- W 400mm, D 805mm, H 915mm  
Incl. splashback 1130mm  
Incl. low back (BTL) 972mm

- BT8400-CD-LH
- BT8400-CD-RH

450MM  
WALDORF 8450 SERIES  
BENCH TOP



BT8450-LS

- CABINET BASE MODEL
- LEG STAND MODEL

- W 450mm, D 805mm, H 915mm  
Incl. splashback 1130mm  
Incl. low back (BTL) 972mm

- BT8450-CB
- BT8450-LS

Ask for a detailed specification sheet on the Waldorf 800 Series Bench Tops outlining construction, features and installation information.

| BENCH TOPS                                                                                                                                    | Model Options                             | Dimensions                                                                         | Model Codes  |
|-----------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|------------------------------------------------------------------------------------|--------------|
| <b>550MM<br/>WALDORF 8550 SERIES<br/>BENCH TOP</b><br><br>   | CABINET BASE WITH DOORS<br>LEFT HAND END  | W 550mm, D 805mm, H 915mm<br>Incl. splashback 1130mm<br>Incl. low back (BTL) 972mm | BT8550-CD-LH |
|                                                                                                                                               | CABINET BASE WITH DOORS<br>RIGHT HAND END |                                                                                    | BT8550-CD-RH |
| <b>600MM<br/>WALDORF 8600 SERIES<br/>BENCH TOP</b><br><br>  | CABINET BASE MODEL                        | W 600mm, D 805mm, H 915mm<br>Incl. splashback 1130mm                               | BT8600-CD    |
|                                                                                                                                               | LEG STAND MODEL                           | Incl. low back (BYL) 972mm                                                         | BT8600-LS    |
| <b>700MM<br/>WALDORF 8700 SERIES<br/>BENCH TOP</b><br><br> | CABINET BASE WITH DOORS<br>LEFT HAND END  | W 700mm, D 805mm, H 915mm<br>Incl. splashback 1130mm<br>Incl. low back (BTL) 972mm | BT8700-CD-LH |
|                                                                                                                                               | CABINET BASE WITH DOORS<br>RIGHT HAND END |                                                                                    | BT8700-CD-RH |
| <b>900MM<br/>WALDORF 8900 SERIES<br/>BENCH TOP</b><br><br> | CABINET BASE MODEL                        | W 900mm, D 805mm, H 915mm<br>Incl. splashback 1130mm                               | BT8900-CB    |
|                                                                                                                                               | LEG STAND MODEL                           | Incl. low back (BTL) 972mm                                                         | BT8900-CD    |
|                                                                                                                                               | REFRIGERATED BASE                         |                                                                                    | BT8900-RB    |



BENCH TOPS

900MM  
WALDORF 8900 SERIES  
BENCH TOP



BT8900S-RB

Model Options

- CABINET BASE MODEL
- LEG STAND MODEL
- REFRIGERATED BASE

Dimensions

- W 900mm, D 805mm, H 915mm  
Incl. splashback 1130mm
- Incl. low back (BTL) 972mm

Model Codes

- BT8900S-CB
- BT8900S-CD
- BT8900S-RB

Ask for a detailed specification sheet on the Waldorf 800 Series Bench Tops outlining construction, features and installation information.



## Taste the Waldorf 800 Series.

Our network of dealer showrooms is well resourced to provide all the information you need on the Waldorf 800 Series. To see it in action, book in for a demonstration at a Moffat Test Kitchen near you.

Our skilled chefs and knowledgeable sales team will help you in selecting the right appliances for your kitchen.

Introductory sessions can be booked online through  
[www.moffat.com.au](http://www.moffat.com.au) Moffat Australia or  
[www.moffat.co.nz](http://www.moffat.co.nz) Moffat New Zealand.

## On call service where you are.

Moffat provides full service backup, 24 hours a day, 7 days a week. Our own Technical Service Department provides full support to a team of trained service personnel in each of our branches.

Strategically placed, authorised service providers provide backup to outlying areas and a national toll free number enables immediate access to our service network.





# Waldorf 800 Series AGA Gas Certified Products

|                                                                                                |                |
|------------------------------------------------------------------------------------------------|----------------|
| Gas Pasta Cooker - PC8410G and PCL model                                                       | Cert. No. 7027 |
| Gas Griddle Toaster - GT8600G                                                                  | Cert. No. 6869 |
| Gas Target Top - RN8100G , RNL8100G and RNL models                                             | Cert. No. 6872 |
| Gas Chargrill - CH8300G, CH8600G, CH8900G, CH8120G and CHL models                              | Cert. No. 6878 |
| Gas Salamander - SN8200G                                                                       | Cert. No. 4337 |
| Gas Cooktop - RN8200G, RN8400G, RN8450G, RN8600G, RN8800G, RN8900G and RNL models              | Cert. No. 6902 |
| Gas Range Static Oven 600mm - RN8410G, RN8820G and RNL models                                  | Cert. No. 6901 |
| Gas Range Static Oven - RN8510G, RN8610G, RN8810G, RN8910G and RNL models                      | Cert. No. 6892 |
| Gas Range Electric Static Oven - RN8510GE, RN8610GE, RN8810GE, RN8910GE and RNL models         | Cert. No. 6892 |
| Gas Range Convection Oven - RN8510GC, RN8610GC, RN8810GC, RN8910GC and RNL models              | Cert. No. 6913 |
| Gas Range Electric Convection Oven - RN8510GCE, RN8610GCE, RN8810GCE, RN8910GCE and RNL models | Cert. No. 6913 |
| Gas Target Top Range - RN8110G, RN8110GC and RNL models                                        | Cert. No. 6918 |
| Gas Target Top Range Electric Oven - RN8110GE, RN8110GEC and RNL models                        | Cert. No. 6918 |
| Gas Bratt Pan - BP8080G(E), BP8120G(E) and RNL models                                          | Cert. No. 6923 |
| Gas Griddle Plate - GP8600G, GP8900G, GP8120G and GPL models                                   | Cert. No. 6898 |
| Gas Griddle Range Electric Oven - GP8910GE, GP8910GEC, GP8121GE, GP8121GEC and GPL models      | Cert. No. 7088 |
| Gas Fryer - FN8120G, FN8226G, FN8130G and FNL models                                           | Cert. No. 6882 |
| Gas Fryer DigitalControl - FN8120GE, FN8226GE, FN8130GE and FNL models                         | Cert. No. 6882 |
| Gas HPO Fryer - FN8130GHPO and FNL models                                                      | Cert. No. 6125 |





**Australia**  
**moffat.com.au**

**Moffat Pty Limited**

Victoria/Tasmania  
740 Springvale Road  
Mulgrave, Victoria 3170  
Telephone +61 3-9518 3888  
Facsimile +61 3-9518 3833  
vsales@moffat.com.au

New South Wales  
Telephone +61 2-8833 4111  
nswsales@moffat.com.au

South Australia  
Telephone +61 3-9518 3888  
vsales@moffat.com.au

Queensland / Northern Territory  
Telephone +61 7-3630 8600  
qldsales@moffat.com.au

Western Australia  
Telephone +61 8-9413 2400  
wasales@moffat.com.au

**New Zealand**  
**moffat.co.nz**

**Moffat Limited**

Rolleston  
45 Illinois Drive  
Izone Business Hub  
Rolleston 7675  
Telephone +64 3-983 6600  
Facsimile +64 3-983 6660  
sales@moffat.co.nz

Auckland  
Telephone +64 9-574 3150  
sales@moffat.co.nz

**International**  
**moffat.com**

**Moffat Limited**

Rolleston  
45 Illinois Drive  
Izone Business Hub  
Rolleston 7675  
Telephone +64 3-983 6600  
Facsimile +64 3-983 6660  
international@moffat.co.nz



ISO9001  
Quality  
Management  
Standard

Designed and manufactured by



**ISO9001**

All Waldorf products are designed and manufactured by Moffat using the internationally recognised ISO9001 quality management system, covering design, manufacture and final inspection, ensuring consistent high quality at all times.

In line with policy to continually develop and improve its products, Moffat Limited reserves the right to change specifications and design without notice.

© Copyright Moffat Ltd  
AN.W8S.B.1801



Australia



New Zealand



International



an Ali Group Company



The Spirit of Excellence

