



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Blue Seal Evolution Series SF90-CB 900mm Solid Fuel Grill - Cabinet Base

Model / SKU: SF90-CB

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://moffat.global.ssl.fastly.net/sites/default/files/products/specification/SF60_SF90_SF120-CB_AN.pdf

SOLID FUEL GRILL 600 / 900 / 1200mm

SF60-CB, SF90-CB, SF120-CB

OVERALL CONSTRUCTION

GRILL

- Welded hob with 1.5mm 304 stainless steel bull nose
- Spalshback and side panels 1.2mm 304 stainless steel
- Enamelled control panel
- 50mm thick refractory brick lined fire box
- Insulated sides

CABINET BASE (supplied as CB model)

- Fully modular for match suite finish
- Double skin 0.9mm stainless steel interior and exterior
- Optional GN 1/1 4 position racking kit (600 & 900mm)
- 63mm dia. heavy-duty 1.2mm stainless steel legs with 2 adjustable feet at front and 2 rollers at rear

CLEANING AND SERVICING

- Stainless steel exterior finish
- Lift off grates
- Modular replaceable refractory bricks




- Fully modular solid fuel grill
- 3 modular width models
- Heavy-duty fire box
- Heavy-duty stainless steel rod grates
- Rear rollers
- Stainless steel exterior
- Open box easy clean
- Ash Rake included


SOLID FUEL GRILL 600 / 900 / 1200mm

SF60-CB, SF90-CB, SF120-CB



SF60- C




SF90- C




SF120- C




SF60- C



SF90- C



SF120- C



SPECIFICATIONS

Ventilation and Hoods

Solid fuel grills require separate exhaust canopies.

Installations must comply with National and Local ventilation codes and regulations.

Dimensions

SF60-CB

Width 600mm
Depth 812mm
Height 915mm
Incl. splashback 1085mm
Nett weight 190kg

SF90-CB

Width 900mm
Depth 812mm
Height 915mm
Incl. splashback 1085mm
Nett weight 260kg

SF120-CB

Width 1200mm
Depth 812mm
Height 915mm
Incl. splashback 1085mm
Nett weight 320kg

Packing data

SF60-CB

0.70m3, 240kg
Width 645mm
Depth 870mm
Height 1255mm

SF90-CB

1.03m3, 325kg
Width 945mm
Depth 870mm
Height 1255mm

SF120-CB

1.36m3, 400kg
Width 1245mm
Depth 870mm
Height 1255mm

OPTIONS AT EXTRA COST

Castors

Adjustable feet at rear



moffat.com.au
moffat.co.nz

Australia
moffat.com.au

Moffat Pty Limited

Victoria/Tasmania
740 Springvale Road
Mulgrave, Victoria 3170
Telephone +613-9518 3888
Facsimile +613-9518 3833
vsales@moffat.com.au

New South Wales
Telephone +612-8833 4111
nswsales@moffat.com.au

South Australia
Telephone +613-9518 3888
vsales@moffat.com.au

Queensland
Telephone +617-3630 8600
qldsals@moffat.com.au

Western Australia
Telephone +618-9413 2400
wasales@moffat.com.au

New Zealand
moffat.co.nz

Moffat Limited

Rolleston
45 Illinois Drive
Izone Business Hub
Rolleston 7675
Telephone +64 3-983 6600
Facsimile +64 3-983 6660
sales@moffat.co.nz

Auckland
Telephone +64 9-574 3150
sales@moffat.co.nz



In line with policy to continually develop and improve its products, Moffat Limited reserves the right to change specifications and design without notice.

© Copyright Moffat Ltd
AN.BSE.01.19/1620

an Ali Group Company



The Spirit of Excellence