



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Siesta FL-118-10678 Lisa Arm Chairs

Model / SKU: FL-118-10678

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://files.plytix.com/api/v1.1/file/public_files/pim/assets/7c/a4/19/64/6419a47c50d80d0001cb36ae/texts/68/a1/

Date received: 21/08/19

Date of issue: 27/09/19

Report consists of 9 test reports.

Defects before testing: None

Sample name: CODE 126 / LISA ARMCHAIR

ISILPLAST PLASTIK SANAYII VE TIC. A.S.
CATALCA YOLU NO:4 TEPECİK 34537
BUYUKCEKMECE-ISTANBUL
TR - TURKEY

SAMPLE N° 276570

Overall dimensions: 540 x 530 x 820 (h) mm

List of test reports:

1. Outdoor furniture - General safety requirements EN 581-1:2017
2. Seat and back static load test EN 1728:2012+AC:2013
3. Seat and back fatigue test EN 1728:2012+AC:2013
4. Arm downwards static load test EN1728:2012+AC:2013
5. Arm fatigue test EN 1728:2012+AC:2013
6. Leg forward static load test EN 1728:2012+AC:2013
7. Leg sideways static load test EN 1728:2012+AC:2013
8. Seat impact test EN 1728:2012+AC:2013
9. Stability - EN 1022:2005



This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

SAMPLE N° 276570

Date of issue: 27/09/19
Sample weight: Not determined
Sample name: CODE 126 / LISA ARMCHAIR



Side view



Rear view



Bottom view

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT
276570 / 1

Revision: 0
Date received: 21/08/19
Date of test: 22/08/19
Date of issue: 27/09/19



Sample name: CODE 126 / LISA ARMCHAIR

ISILPLAST PLASTIK SANAYII VE TIC. A.S.
CATALCA YOLU NO:4 TEPECIK 34537
BUYUKCEKMECE-ISTANBUL
TR - TURKEY

Outdoor furniture - General safety requirements EN 581-1:2017

5.1 General:

Requirement	Observed	Remarks
Edges of seat, back rest and arm rests rounded and chamfered	Yes	None
All other parts: free from burrs, sharp edges and sharp points.	Yes	None
Movable and adjustable parts designed so that injuries and inadvertent operation are avoided	Not present	None
Any load bearing part of furniture not come loose unintentionally	Yes	None
Lubricated parts are protected	Not present	None

5.2 Tubular components:

Requirement	Observed	Remarks
Absence of tubular components with diameter > 7 mm and < 12 mm with a depth > 10 mm.	Yes	None
Tubulars in contact with the floor are closed. Holes in them are allowed as long as they are < 7 mm or > 12 mm	Yes	None

5.3 Shear and squeeze points:

Requirement	Observed	Remarks
Shear and squeeze points that are created only during adjusting and folding away are acceptable if the user has the control of his/her movements.	Not present	None
Absence of shear and squeeze points, created by parts operated by powered mechanism.	Not present	None
Absence of shear and squeeze points, created by loads applied during normal use.	Yes	None

Conformity to requirements of clause 5 of standard EN 581-1:2017: **YES**

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT 276570 / 2

Revision: 0
Date received: 21/08/19
Date of test: 22/08/19
Date of issue: 27/09/19



Sample name: CODE 126 / LISA ARMCHAIR

ISILPLAST PLASTİK SANAYII VE TIC. A.S.
CATALCA YOLU NO:4 TEPECİK 34537
BUYUKCEKMECE-ISTANBUL
TR - TURKEY

Seat and back static load test EN 1728:2012+AC:2013

Test performed according to EN 581-2:2015

Seat and back static load test, clause 6.4, EN 1728:2012+AC:2013

Test results:

Seat load N	Back force N	Number of cycles	Remarks
2.000	560	10 x 10 s	No defects
2.000	560	1 x 30 min	No defects

Seat front edge static load, clause 6.5, EN 1728:2012+AC:2013

Seat load N	Number of cycles	Remarks
1.300	10	No defects

Note:

The test results comply with the requirements in clause 7.2.2 of EN 581-2:2015, contract level.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Glavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT 276570 / 3

Revision: 0
Date received: 21/08/19
Date of test: 22/08/19
Date of issue: 27/09/19



Sample name: CODE 126 / LISA ARMCHAIR

ISILPLAST PLASTİK SANAYİ VE TİC. A.Ş.
CATALCA YOLU NO:4 TEPECİK 34537
BUYUKCEKMECE-ISTANBUL
TR - TURKEY

Seat and back fatigue test EN 1728:2012+AC:2013

Test performed according to EN 581-2:2015

Seat and back fatigue test, clause 6.17, EN 1728:2012+AC:2013

Test results:

Seat force N	Back force N	Number of cycles	Remarks
1.000	333	50.000	No defects

Note:

The test results comply with the requirements in clause 7.2.2 of EN 581-2:2015, contract level.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT
276570 / 4

Revision: 0
Date received: 21/08/19
Date of test: 04/09/19
Date of issue: 27/09/19



Sample name: CODE 126 / LISA ARMCHAIR

ISILPLAST PLASTİK SANAYII VE TIC. A.S.
CATALCA YOLU NO:4 TEPECİK 34537
BUYUKCEKMECE-ISTANBUL
TR - TURKEY

Arm downwards static load test EN1728:2012+AC:2013

Test performed according to EN 581-2:2015

Arm downwards static load test clause 6.11, EN 1728:2012+AC:2013

Test results:

Vertical force N	Number of applications	Remarks
900	10	No defects

Note:

The test results comply with the requirements in clause 7.2.2 of EN 581-2:2015, contract level.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT
276570 / 5

Revision: 0
Date received: 21/08/19
Date of test: 16/09/19
Date of issue: 27/09/19



Sample name: CODE 126 / LISA ARMCHAIR

ISILPLAST PLASTİK SANAYII VE TIC. A.S.
CATALCA YOLU NO:4 TEPECİK 34537
BUYUKCEKMECE-ISTANBUL
TR - TURKEY

Arm fatigue test EN 1728:2012+AC:2013

Test performed according to EN 581-2:2015

Arm fatigue test clause 6.20, EN 1728:2012+AC:2013

Test results:

Force on arm rest N	Number of cycles	Remarks
400	30.000	No defects

Note:

The test results comply with the requirements in clause 7.2.2 of EN 581-2:2015, contract level.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT 276570 / 6

Revision: 0
Date received: 21/08/19
Date of test: 24/09/19
Date of issue: 27/09/19



Sample name: CODE 126 / LISA ARMCHAIR

ISILPLAST PLASTİK SANAYII VE TIC. A.S.
CATALCA YOLU NO:4 TEPECİK 34537
BUYUKCEKMECE-ISTANBUL
TR - TURKEY

Leg forward static load test EN 1728:2012+AC:2013

Test performed according to EN 581-2:2015

Leg forward static load test clause 6.15, EN 1728:2012+AC:2013

Test results:

Forward horizontal force N	Balancing seat force N	Number of cycles	Remarks
400	1.000	10	No defects

Note:

The test results comply with the requirements in clause 7.2.2 of EN 581-2:2015, contract level.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT
276570 / 7

Revision: 0
Date received: 21/08/19
Date of test: 24/09/19
Date of issue: 27/09/19



Sample name: CODE 126 / LISA ARMCHAIR

ISILPLAST PLASTIK SANAYII VE TIC. A.S.
CATALCA YOLU NO:4 TEPECİK 34537
BUYUKCEKMECE-ISTANBUL
TR - TURKEY

Leg sideways static load test EN 1728:2012+AC:2013

Test performed according to EN 581-2:2015

Leg sideways static load test clause 6.16, EN 1728:2012+AC:2013

Test results:

Sideways horizontal force N	Balancing seat force N	Number of cycles	Remarks
300	1.000	10	No defects

Note:

The test results comply with the requirements in clause 7.2.2 of EN 581-2:2015, contract level.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT
276570 / 8

Revision: 0
Date received: 21/08/19
Date of test: 26/09/19
Date of issue: 27/09/19



Sample name: CODE 126 / LISA ARMCHAIR

ISILPLAST PLASTİK SANAYII VE TIC. A.S.
CATALCA YOLU NO:4 TEPECİK 34537
BUYUKCEKMECE-ISTANBUL
TR - TURKEY

Seat impact test EN 1728:2012+AC:2013

Test performed according to EN 581-2:2015

Seat impact test clause 6.24, EN 1728:2012+AC:2013

Test results:

Mass of impactor kg	Height of drop mm	Impact point	Number of drops	Remarks
25	240	point A	10	No defects
25	240	100 mm from the front seat edge	10	No defects

Note:

The test results comply with the requirements in clause 7.2.2 of EN 581-2:2015, contract level.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT
276570 / 9

Revision: 0
Date received: 21/08/19
Date of test: 26/09/19
Date of issue: 27/09/19



Sample name: CODE 126 / LISA ARMCHAIR

ISILPLAST PLASTIK SANAYII VE TIC. A.S.
CATALCA YOLU NO:4 TEPECIK 34537
BUYUKCEKMECE-ISTANBUL
TR - TURKEY

Stability - EN 1022:2005

Type of chair: fixed geometry

Minimum horizontal force for rearwards overturning of fixed back chair: 158 N

Forwards overturning

Horizontal force : 20 N does not overturn

Rearwards overturning

Fixed back chair

Horizontal force : 158 N does not overturn

Tilting chair in the rearmost position

Loading discs on the seat : /

Sideways overturning for chairs with arms

Horizontal force : 20 N does not overturn

Sideways overturning for chairs without arms

Horizontal force : /

Forwards overturning for chairs with footrest

Horizontal force : /

The test result complies with the requirements of EN 1022:2005

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.