



## PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

### PRODUCT

# Siesta FL-118-11240 Sky Lounge Coffee Side Tables

**Model / SKU: FL-118-11240**


#### KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email [sales@kwcommercial.com.au](mailto:sales@kwcommercial.com.au)

Web [www.kwcommercial.com.au](http://www.kwcommercial.com.au)



Scan for the current KW product page

### DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: [https://files.plytix.com/api/v1.1/file/public\\_files/pim/assets/7c/a4/19/64/6419a47c50d80d0001cb36ae/texts/e8/a1/](https://files.plytix.com/api/v1.1/file/public_files/pim/assets/7c/a4/19/64/6419a47c50d80d0001cb36ae/texts/e8/a1/)

Date received: 03/09/18

Date of issue: 10/09/18

Report consists of 4 test reports.

Defects before testing: None

Sample name: SKY lounge table code 104

ISILPLAST PLASTIK SANAYII VE TIC. A.S.  
CATALCA YOLU NO:4 TEPECIK 34537  
BUYUKCEKMECE-ISTANBUL ()  
TR - TURKEY

## SAMPLE N° 257118

Overall dimensions: 1000 x 595 x 395 (h) mm

### List performed tests:

1. Outdoor tables: safety requirements EN 581-1:2017 clause 5
2. Vertical static load test EN 1730:2012, clause 6.3
3. Horizontal fatigue test EN 1730:2012, clause 6.4.2
4. Stability under vertical load EN 1730:2012, clause 7.2



*This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.*

Managing Director  
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

## TEST REPORT

257118 / 1

Date received: 03/09/18  
Date of test: 05/09/18  
Date of issue: 10/09/18

Sample name: SKY lounge table code 104



ISILPLAST PLASTIK SANAYII VE TIC. A.S.  
CATALCA YOLU NO:4 TEPECİK 34537  
BUYUKCEKMECE-ISTANBUL  
TR - TURKEY

## Outdoor tables: safety requirements EN 581-1:2017 clause 5

### 5.1 General requirements

| Requirements                                                                                      | Observed | Remarks                                  |
|---------------------------------------------------------------------------------------------------|----------|------------------------------------------|
| Table top: edges are rounded or chamfered                                                         | Yes      | None                                     |
| All other edges: are free from burrs and/or sharp edges                                           | Yes      | None                                     |
| Movable and adjustable parts: are designed so to injuries and inadvertent operation are avoided   | /        | Movable and adjustable parts not present |
| Load bearing part of table: shall not be possible to come loose unintentionally                   | Yes      | None                                     |
| Parts which are lubricated: all the parts which are lubricated shall be designed to protect users | /        | Parts which are lubricated not present   |

### 5.2 Tubular components

|                                                                                                                                         |     |      |
|-----------------------------------------------------------------------------------------------------------------------------------------|-----|------|
| Ends of hollow tubular components with $\varnothing \geq 7$ mm and $\leq 12$ mm where the accessible depth is $\geq 10$ mm: not present | Yes | None |
| Bottom of tubular legs, holes $\geq 7$ mm and $\leq 12$ mm: not present                                                                 | Yes | None |

### 5.3.2 Shear and squeeze points under influence of powered mechanisms

| Requirements                                                              | Observed | Remarks                        |
|---------------------------------------------------------------------------|----------|--------------------------------|
| Absence of shear and squeeze points under influence of powered mechanisms | /        | Powered mechanisms not present |

### 5.3.3 Shear and squeeze points during use

| Requirements                                                                                                  | Observed | Remarks |
|---------------------------------------------------------------------------------------------------------------|----------|---------|
| Absence of shear and squeeze points created by forces applied during normal use, see: EN 581-3:2017 - Table 1 | Yes      | None    |

Note:

The test results comply with safety requirements of EN 581-1:2017 clause 5

*This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.*

Managing Director  
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

pag. 1/1

## TEST REPORT

**257118 / 2**

Date received: 03/09/18  
Date of test: 05/09/18  
Date of issue: 10/09/18

Sample name: SKY lounge table code 104



ISILPLAST PLASTIK SANAYII VE TIC. A.S.  
CATALCA YOLU NO:4 TEPECİK 34537  
BUYUKCEKMECE-ISTANBUL  
TR - TURKEY

## Vertical static load test EN 1730:2012, clause 6.3

### Clause 6.3.1 Vertical static load test on main surface

#### Test results:

| Load application position                                       | Vertical force (N) | Number of cycles | Remarks    |
|-----------------------------------------------------------------|--------------------|------------------|------------|
| 100 mm from the edge of the top, at the middle of the long side | 1000               | 10               | No defects |
| Geometrical centre of the top                                   | 1000               | 10               | No defects |

#### Note:

The test has been carried out according to Table 1 of EN 581-3:2017  
Tets level: Contract

*This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.*

*Managing Director*  
*Dr. Andrea Giavon*

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

pag. 1/1

## TEST REPORT

**257118 / 3**

Date received: 03/09/18  
Date of test: 05/09/18  
Date of issue: 10/09/18

Sample name: SKY lounge table code 104



ISILPLAST PLASTIK SANAYII VE TIC. A.S.  
CATALCA YOLU NO:4 TEPECİK 34537  
BUYUKCEKMECE-ISTANBUL  
TR - TURKEY

### Horizontal fatigue test EN 1730:2012, clause 6.4.2

#### Test results:

| Direction of the force | Horizontal force (N) | Number of cycles | Load on top (kg) | Remarks    |
|------------------------|----------------------|------------------|------------------|------------|
| Longitudinal (Fa)      | 300                  | 20.000           | 50               | No defects |
| Longitudinal (Fb)      | 300                  | 20.000           | 50               | No defects |
| Transverse (Fc)        | 300                  | 20.000           | 50               | No defects |
| Transverse (Fd)        | 300                  | 20.000           | 50               | No defects |

#### Note:

The test has been carried out according to Table 1 of EN 581-3:2017  
Tets level: Contract

*This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.*

Managing Director  
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

pag. 1/1

## TEST REPORT

**257118 / 4**

Date received: 03/09/18  
Date of test: 10/09/18  
Date of issue: 10/09/18

Sample name: SKY lounge table code 104



ISILPLAST PLASTİK SANAYII VE TIC. A.S.  
CATALCA YOLU NO:4 TEPECİK 34537  
BUYUKCEKMECE-ISTANBUL  
TR - TURKEY

### Stability under vertical load EN 1730:2012, clause 7.2

Type of surface tested: main surface

Longest dimension of the table top (L): 1000 mm

#### Test results:

| Vertical force (N) | Remarks                |
|--------------------|------------------------|
| 250                | The table does not tip |

#### Note:

The test has been carried out according to Table 1 of EN 581-3:2017  
Tets level: Contract

*This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.*

Managing Director  
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

pag. 1/1